



SYSTEMS MANAGEMENT

Entire Operations

Messages and Codes

Version 3.2.1

Order Number: NOP321-060ALL

This document applies to Version 3.2.1 of Entire Operations and to all subsequent releases. Specifications contained herein are subject to change and these changes will be reported in subsequent release notes or new editions.

© January 2001, Software AG
All rights reserved

Software AG and/or all Software AG products are either trademarks or registered trademarks of Software AG. Other products and company names mentioned herein may be the trademarks of their respective owners.

Table of Contents

Messages and Codes - Overview	1
Messages and Codes - Overview	1
Messages and Codes	2
Messages and Codes	2
Messages and Codes - EOR0001 - EOR0100	3
Messages and Codes - EOR0001 - EOR0100	3
Messages and Codes - EOR0101 - EOR0200	8
Messages and Codes - EOR0101 - EOR0200	8
Messages and Codes - EOR0201 - EOR0400	10
Messages and Codes - EOR0201 - EOR0400	10
Messages and Codes - EOR0401 - EOR0600	12
Messages and Codes - EOR0401 - EOR0600	12
Messages and Codes - EOR0601 - EOR1000	15
Messages and Codes - EOR0601 - EOR1000	15
Messages and Codes - EOR1001 - EOR1300	18
Messages and Codes - EOR1001 - EOR1300	18
Messages and Codes - EOR1301 - EOR1500	24
Messages and Codes - EOR1301 - EOR1500	24
Messages and Codes - EOR1501 - EOR2000	28
Messages and Codes - EOR1501 - EOR2000	28
Messages and Codes - EOR2001 - EOR2100	31
Messages and Codes - EOR2001 - EOR2100	31
Messages and Codes - EOR2101 - EOR2500	36
Messages and Codes - EOR2101 - EOR2500	36
Messages and Codes - EOR2501 - EOR3100	40
Messages and Codes - EOR2501 - EOR3100	40
Messages and Codes - EOR3101 - EOR5999	45
Messages and Codes - EOR3101 - EOR5999	45
Messages in Active Jobs Display	50
Messages in Active Jobs Display	50

Messages and Codes - Overview

This documentation covers the following topics:

- Messages and Codes Explains the error messages EOR0001 - EOR5999 and provides an action to correct the error.
- Messages in Active Jobs Display Lists the most important messages which may appear in the message column of the Active Jobs display.

For details on how to navigate within the documentation, see [Using the Documentation](#).

Messages and Codes

To display a long message text, use the direct command:

```
HELP MSG <message-code>
```

- Messages EOR0001 - EOR0100
- Messages EOR0101 - EOR0200
- Messages EOR0201 - EOR0400
- Messages EOR0401 - EOR0600
- Messages EOR0601 - EOR1000
- Messages EOR1001 - EOR1300
- Messages EOR1301 - EOR1500
- Messages EOR1501 - EOR2000
- Messages EOR2001 - EOR2100
- Messages EOR2101 - EOR2500
- Messages EOR2501 - EOR3100
- Messages EOR3101 - EOR5999

Messages and Codes - EOR0001 - EOR0100

To display a long message text, use the direct command:

HELP MSG <message-code>

Message	Explanation	Action
EOR0001 - Invalid Line Command	A command entered in the 'Line Command' (Cmd) Column is wrong. The valid line commands are displayed at the bottom of the screen.	Enter a valid line command; or enter '?' in the line command field for online help.
EOR0002 - Press ENTER to confirm		
EOR0003 - Please enter the User ID	User ID is missing or invalid	Enter a valid user ID.
EOR0004 - Please enter the Password	The password for an Entire System Server Node is missing. A valid password is required, if the user wants to access resources, which are protected by security systems like RACF, ACF2, etc.	Enter a valid password.
EOR0005 - Unknown Entire Operations User Name	All Users of Entire Operations must be defined by the system administrator.	Correct the user ID; or ask your system administrator to define the user ID
EOR0006 - Entire Operations user name rejected by security	The user is not permitted to use this Entire Operations user id because it belongs to an Entire Operations owner different from the users.	Please use your own Entire Operations user ID or a user ID within your Entire Operations owner. If in doubt contact your Entire Operations Administrator.
EOR0007 - Invalid Selection	None of the valid selections was entered.	Correct the selection.
EOR0008 - PF Key not defined	The used PF Key is invalid for the current function. See the PF Key display at the bottom of the screen or window.	Enter a valid PF key.
EOR0009 - Init user is unknown to Entire Operations	The initial Natural user ID is not defined to Entire Operations. Therefore the Init user may not use Entire Operations, also not with any other Entire Operations user ID. Entire Operations user IDs are installed by your System Administrator.	Contact your System Administrator
EOR0010 - Please Logon to Entire Operations	The user has been logged off for some reason. Entire Operations needs a logon to continue work.	Re-enter the logon data.

EOR0013 - Owner Name is now:1:	The user connected to owner :1:.	
EOR0015 - Function performed	The requested function terminated successfully.	
EOR0016 - Function aborted	The requested function was aborted. Modifications are backed out from the database. This message is always issued, if 'Undo' is selected.	Redo the function, if desired.
EOR0017 - Object not deleted	1. The object has not been deleted, since the text entered in the confirmation window did not match. 2. The user is not allowed to delete the object.	Redo the deletion, if desired.
EOR0018 - Object deleted	The object is removed from the database.	
EOR0020 - Library access not allowed	The user is not allowed to access the selected library.	
EOR0021 - Invalid Time Format	The time format in Entire Operations is - HH:II:SS Hour, minute, second or - HH:II Hour, minute The message appears also, if hour, minute or second are not in the valid value range.	Enter a valid time.
EOR0022 - Last transaction backed out A dynamic transaction backout occurred in the database	Adabas backed out the last transaction.	Enter 'MENU' to return to Entire Operations. Redo the last unfinished function.
EOR0024 - Invalid Date Format	The entered date is not in the format defined for this installation, or Year, month, or day are not in the correct value range.	Enter a valid date, or '?' to inquire the date format.
EOR0025 - Invalid Time Range	The end time is before the start time. If the time range is specified with a date, date and time will be checked together.	Correct time (or date).
EOR0026 - One selection only is allowed here	Two or more lines have been marked with line commands.	Use one line command only here.
EOR0027 - Invalid Date Range	The end date is before the start date. If the date range is specified with a time, date and time will be checked together.	Correct error.
EOR0030 - Please enter the Owner Name	The Owner Name is required for the function. A wildcard symbol opens a window to select an owner.	Select Owner.

EOR0031 - Please enter the Job Network Name	The name of the job network is required to perform the function. A wildcard symbol opens a window to select a job network.	Select Job Network.
EOR0032 - Please enter the Job Name	The job name is required to perform the function. A wildcard symbol opens a window to select a job.	Select Job.
EOR0033 - Please enter the Step Name	A Step Name is required for the function. The keyword 'ANYSTEP' may be used.	Enter Step Name or 'ANYSTEP'
EOR0034 - Please enter the Node number	The function requires a valid node number of an Entire System Server node.	Enter valid Node number
EOR0035 - Please enter the Run Number	The function requires a valid run number of the current job network.	Enter valid Run Number
EOR0036 - Please enter the Resource Name	The function requires a valid resource name.	Enter valid Resource Name
EOR0037 - Please enter the Condition name	The function requires a valid condition name.	Enter valid Condition Name
EOR0038 - Please enter the User Routine Name	The function required the name of a user routine. The user routine must reside in the specified Natural library.	A non-existent user routine may be specified and can be created by editing.
EOR0040 - Please enter a Calendar Name	The function requires a valid calendar name. A wildcard symbol opens a selection window.	Select a valid Calendar Name.
EOR0041 - Please enter the Natural Library Name	The function requires the name of a Natural library. The library must exist in the FUSER file of Entire Operations. If Natural Security is in use, the library must be defined there.	
EOR0042 - Please enter the File Name	The function requires the name of an existing file (dataset).	Enter the File/Dataset Name
EOR0043 - Please enter the member name	The function requires the name of a member of - a Natural library - a partitioned dataset (PDS) - another supported library system.	
EOR0044 - Please enter the Sublib Name	The function requires a valid sublibrary name.	Enter valid Sublibrary Name
EOR0045 - Please enter BS2000 User ID	The function requires a valid BS2000 User ID.	Enter valid BS2000 User ID
EOR0046 - Please enter Job Variable	The function requires a valid BS2000 Job Variable name.	Enter valid Job Variable
EOR0047 - Please enter Submit User ID	The function requires a valid Submit User ID.	Enter valid Submit User ID

EOR0048 - Please enter Prose Location	The function requires a valid location.	Enter valid Prose Location
EOR0049 - Please enter Member Type	BS2000: The function requires a valid LMS member type. DOS/VSE: The function requires a VSE library member type.	
EOR0050 - Please enter the Year	The function requires a valid year	Enter a valid year.
EOR0051 - Overwrite Option required for existing:1:	The object does already exist on the target.	Enter 'Y' in the 'Overwrite' field, if you want the function to be performed.
EOR0052 - Member type and version required for LMS	The JCL location LMS (BS2000) requires the fields 'member type' and 'member version'.	Define the missing values.
EOR0053 - Please enter Library	DOS/VSE: The function requires a valid VSE library.	
EOR0054 - Please enter VSAM Catalog	The function requires a valid VSAM catalog.	
EOR0055 - Please enter Sysout User ID	The function requires a valid Sysout User ID	Enter a Sysout User ID.
EOR0060 - Invalid Object Name	The name of an object (owner, network, job, etc.) contains at least one invalid character. '*' is not allowed within names, since it serves as selection indicator.	Enter a correct name.
EOR0061 - Invalid File Password	The access to defined file (dataset) has been denied, since a wrong password was entered. The file password is usually prompted in a window, where necessary.	Enter a correct password.
EOR0062 - File access denied	The file access was denied by the security system of the operating system.	Log on to the system server node with the correct user ID and password.
EOR0065 - Invalid Year	The entered year is invalid.	Enter a valid year.
EOR0066 - Invalid Job Type:1:		
EOR0070 - No Objects found for this Selection	No objects could be found for the given selection criteria. This may apply for owners, job networks, jobs, etc.	Modify the selection criteria.
EOR0075 - Date/Time in the past	The date and/or time must not lie in past.	

EOR0080 - Please enter 'Y' or 'N'	Valid field contents are: 'Y' yes 'N' no	Correct error.
EOR0081 - Please enter 'R', 'W' or 'D'	Valid field contents are: 'R' read allowed 'W' read and write allowed 'D' read, write and delete allowed	Correct error.
EOR0082 - Please enter:1:	See explanation for values in field help.	Correct error.
EOR0085 - Invalid Value. See Field Help.		Enter '?' in the field to get the field level help.
EOR0094 - Function not available	The requested function is not available or was rejected by the operating system. In BS2000, it is possible that the function is only available under TSOS.	
EOR0095 - Function not available for:1:	The function is not supported for the operating system of the current node.	
EOR0096 - Field only allowed for:1:	The field may only be used for a special operating system or JCL location.	Erase field.
EOR0099 - Function is not implemented yet	A function is described, but currently not available.	Contact SAG Support.
EOR0100 - Function initialized	The requested function has been accepted and will be executed soon.	

Messages and Codes - EOR0101 - EOR0200

To display a long message text, use the direct command:

```
HELP MSG <message-code>
```

Message	Explanation	Action
EOR0101 - Too many Conditions	The internal limit for the number of conditions has been reached.	Try to split the usage of conditions with intermediate dummy jobs.
EOR0102 - Invalid Condition Reference	The format of the Condition Reference is wrong.	Please use the field level help to inquire the valid reference formats.
EOR0103 - Impossible for external conditions	The function is available only for conditions of the same owner and same network.	Use a local condition for this function.
EOR0104 - Termination Code not available for:1:	The selected termination code is not available for this operating system.	Please use the help to get a list of the valid termination codes.
EOR0105 - Function not possible for this job status	The selected function can not be executed due to the current job status. Example: A terminated job can no more be cancelled.	
EOR0110 -:1:Error::2:	A called subprogram returned an error message.	Check the meaning of the message, or contact SAG support.
EOR0121 - Condition:1:is set already	Information only	
EOR0122 - Condition:1:is reset already	Information only	
EOR0131 - Too many Resources	The maximum number of defineable resources for a job is exceeded.	Reduce the number of resources, or use a Dummy job to 'collect' the resources.
EOR0132 - Invalid Step Name	The step name field may either contain a simple step name in the MVS naming conventions, or a procedure name concatenated with a step name, in the format <procname>.<stepname> Example: PROC1.STEP1	

EOR0150 - Copy to same item impossible	It is not possible to copy an item to itself.	Enter a different item as copy target.
EOR0151 - Alternate System File not defined	You tried to copy from the alternate Entire Operations system file, but it had not been defined in the Entire Operations defaults.	Use the 'Entire Operations defaults' to define the alternate system file.
EOR0152 - Old Object must be deleted first	The 'Copy' function has been invoked for an existing object. This object must be deleted explicitly, before a new one is copied into it's place.	Delete the old object first, or use the 'Copy' function directly after 'Add'.
EOR0153 - One Selection obligatory	One of the selectable alternatives must be marked.	Correct error.
EOR0154 - Invalid hexadecimal String	A valid hexadecimal string is expected in this field. For BS2000, a hexadecimal string is expected after 'X' only.	Correct error.
EOR0159 - Invalid Range	This message is issued if the start value is greater than the end value.	Correct range.
EOR0160 - Range is:1:thru:2:	This field may only have a value between :1: and :2:.	Correct the field.
EOR0161 - Invalid Run Number Range	- The highest run number must not exceed 9999. - The range begin must not be higher than the range end.	Correct error.
EOR0162 - Invalid Position for Period	The position - must not be zero - must be in the range -7 ... -1 / +1 ... +7 for a week - must be in the range -31 ... -1 / +1 ... +31 for a month - must be in the range -366 ... -1 / +1 ... +366 for a year	Correct error.
EOR0163 - Invalid Special Type	Please use the field level help to obtain the valid field contents.	Correct error.
EOR0164 - Deadline must be >= Latest Start	The deadline time must not be smaller than the latest start time or earliest start time.	Correct field value.
EOR0169 - Invalid Library Name		
EOR0170 - Field must be positive	The entered field must have a positive value.	Correct error.
EOR0199 - Object not in selected Range	The object is not in the selected range. It will be rejected.	
EOR0200 - Object added	The entered object was added.	

Messages and Codes - EOR0201 - EOR0400

To display a long message text, use the direct command:

```
HELP MSG <message-code>
```

Message	Explanation	Action
EOR0201 - Object modified	The modification of the object was successful.	
EOR0202 - Object deleted	The object was successfully deleted.	
EOR0211 -:1:Jobs modified	The message shows the number of jobs, which were modified in a mass update.	
EOR0220 - Please enter the Mailbox Name	The function requires a valid mailbox name.	
EOR0230 - Activation Entry not found	The extracted network activation entry does not exist. The selected function could not be executed.	Select a different activation entry.
EOR0240 - Exit Name already used	The entered name of a user routine (userexit) may not be used, because this name is already used by another Entire Operations module.	Use another exit name.
EOR0241 -:1:Exit Directory Entries deleted	Entries have been removed from the internal exit directory of Entire Operations. The copied executable objects have been removed too.	
EOR0242 - Exit Dir. Entry added::1/:2:Type:3:	An exit directory entry has been added for the displayed user exit (user routine).	
EOR0244 - Exit Dir. Entry:1/:2:removed	An entry has been removed from the internal exit directory.	
EOR0246 - Unused Exit Member:1/:2:removed	Information only	
EOR0249 -:1:Entries in Exit Directory	Information about the current usage of the internal exit directory.	
EOR0301 - PID:1:Start:2:	Generated start message for Unix jobs. Contains process Id, date, and time.	
EOR0302 - PID:1:End:2:	Generated end message for Unix jobs. Contains process Id, date, and time.	
EOR0311 - Start:1:		
EOR0312 - End:1:		

EOR0321 - Exit Code:1:		
EOR0322 - File not executable	A file specified with JCL location EXE has no execution rights.	
EOR0371 -:1:- Batch not granted in Windows NT	The Windows NT user has insufficient batch execution rights. The function has been rejected by Windows NT.	Allow batch execution rights for the user in Windows NT.
EOR0380 -:1:Version:2:	The message contains version information of an utility program.	
EOR0381 -:1:files deleted		
EOR0382 -:1:empty directories deleted		
EOR0390 - Print Command must contain :f:	The print command must contain ':f:', which will be replaced by the file name at execution time.	
EOR0395 - Record Compression Error:1:	An internal record compression error has occurred.	
EOR0398 -:1:	An error occurred in a service program called by Entire Operations.	
EOR0399 - Function available for UNIX and Windows NT Nodes only		

Messages and Codes - EOR0401 - EOR0600

To display a long message text, use the direct command:

HELP MSG <message-code>

Message	Explanation	Action
EOR0401 - Invalid BS2000 File Name::1:	The format of a BS2000 file name is not valid for the operating system file name syntax. :1: contains the reason.	
EOR0402 - Invalid BS2000 User ID	1. The User ID is not defined in BS2000. 2. The User ID TSOS may be defined only if the user is currently working under TSOS himself. 3. The User ID must not start with '\$'.	Enter a valid BS2000 User ID.
EOR0403 - Invalid Pubid,:1:	A BS2000 file name has a wrong syntax.	
EOR0404 - Invalid User ID,:1:	A BS2000 file name has a wrong syntax.	
EOR0405 - Invalid Name,:1:	A BS2000 file name has a wrong syntax.	
EOR0406 - Default User ID added to File Name	The BS2000 file name did not contain a BS2000 user ID. The file name was completed with the default job or network BS2000 userid.	
EOR0411 - Invalid User Switch Value	A BS2000 user switch may have a value from 0 thru 31.	Correct error.
EOR0421 - Invalid Substring Position	The position of a Job Variable substring must be in the range 1 - 253 (BS2000).	
EOR0422 - Invalid Substring Length	The maximum length of a Job Variable substring is 253 (BS2000).	
EOR0423 - Substring position and length not evaluated	With format D (Date) and N (Numeric) the values of substring position and substring length are not regarded. Thus, you can't compare a date or a numeric string partially with a given value.	
EOR0429 - Job Variables not available on Node:1:	The BS2000 Software Product 'Job Variables' has not been installed on this BS2000 system. The 'Job Variable' functions of Entire Operations can therefore not be used.	
EOR0440 - Invalid Member Type	The function requires a valid member type.	

EOR0441 - Invalid Member Name	The member name contains at least one character which is invalid for the location naming conventions.	
EOR0442 - Member Type not allowed for:1:	The member type may be specified for some JCL locations, such as LMS (BS2000), and VSE.	Delete field, or use another JCL location.
EOR0450 - Job-Class must start with a character	The Job-Class must start with a character. Exceptions are: Blank or '*STD'. Applies for BS2000 only.	Correct error.
EOR0461 - BS2000 'not ok' codes::1:	A BS2000 job will be treated as not ok by default, if any of these message codes appears in the job sysout.	
EOR0462 - BS2000 'not ok' codes: none defined	The table of BS2000 'not ok' message codes is empty.	
EOR0471 -:1:- No access to BS2000 User ID:2:	The access to a BS2000 User ID is denied for this user.	
EOR0481 - User ID too long (max. 8 chars.)	It is not possible to define a user ID longer than 8 characters for this operating system.	
EOR0482 - Group too long (max. 8 chars.)	It is not possible to define a group longer than 8 characters for this operating system.	
EOR0501 - Volume obligatory for DOS/VSE	The JCL location VSE requires an obligatory volume definition.	
EOR0502 - Library/Sublib not found	The defined VSE library or sublibrary does not exist.	Correct definition, or use a wildcard ('*') for a sublibrary selection.
EOR0503 - Invalid File Type. (Use RDR,LST,PUN,XMT.)		Enter a valid VSE file type.
EOR0504 - No unique member selected from VSE/POWER RDR		
EOR0505 - JOB card invalid or omitted		
EOR0506 - STC is currently active		
EOR0507 - Default Member Type inserted	The member type was taken from the Entire Operations Defaults.	
EOR0508 - Recfm, Lrecl, Blksize obligatory for VSE	These fields must be specified for VSE.	
EOR0520 - Library.Sublib invalid	Library and sublibrary must be specified concatenated, with a separating '.' The length of each must not exceed 8 characters.	Enter a valid library.sublib definition.

EOR0521 - Member.Type invalid	Member and member-type must be specified concatenated, with a separating '.' The length of each must not exceed 8 characters.	Enter a valid member.type definition.
------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------	---------------------------------------

Messages and Codes - EOR0601 - EOR1000

To display a long message text, use the direct command:

```
HELP MSG <message-code>
```

Message	Explanation	Action
EOR0601 - STC: JCL Node must be equal Execution Node	Started Task will be submitted with the 'S <task>' command. No active JCL exists.	Specify the same node for JCL and execution.
EOR0610 - Either Spool File or Procname ...	Either a spool file or procname, stepname, DD name must be defined, not both.	
EOR0611 - Procname, Stepname, DDName required	All three fields must be defined.	
EOR0612 - Please enter valid NOM actions	In mode 'Modify' you cannot enter empty data. Deletion is only possible with mode 'Delete'.	
EOR0615 - CC Type must be 'A','M'	The carriage control type must be 'A' ASA 'M' machine code or blank (MVS only)	
EOR0616 - CC Type must be 'A','M','E',' '	The carriage control type must be 'A' ASA carriage control 'M' IBM machine code 'E' EBCDIC carriage control ' ' no carriage control	
EOR0617 - /MAXCC for condition code check only		
EOR0621 - Not authorized to define:1:	If an user ID appears in the message: You must be logged on to the related operating system server with this user ID first, before you are allowed to define it.	
EOR0701 - No connection to SAP R/3	Use 'LOGIN R3 ...' to login to the SAP R/3 system first.	
EOR0900 - Function not allowed	The requested function is not allowed in the user's profile.	Select an allowed function.
EOR0901 - Object addition not allowed	The function is not allowed in the user profile, or is not granted by another user.	

EOR0902 - Object modification not allowed	The function is not allowed in the user profile, or is not granted by another user.	
EOR0903 - Object deletion not allowed	The function is not allowed in the user profile, or is not granted by another user.	
EOR0904 - Object display not allowed	The function is not allowed in the user profile, or is not granted by another user.	
EOR0905 - Object editing not allowed	The function is not allowed in the user profile, or is not granted by another user.	
EOR0909 - Not logged on to User ID:1:	The user must perform a logon to the userid, before he can make the definition or perform the action.	Use 'LOGON SERVER' to perform a logon first.
EOR0910 - No Access to Library:1:	The Natural library is not accessible due to Natural Security restrictions.	
EOR0911 - Natural Security API not found	The Natural Security check routine was not found, and could not be executed.	Contact your System Administrator.
EOR0919 - Job Type:1:not allowed	This job type can not be used in the current configuration.	
EOR0920 - Object already defined	The object name exists already in the current set of objects. It must be unique in this set.	Choose another object name.
EOR0921 - Object:1:already defined		
EOR0930 - Object not found	The given object could not be found in the current set of objects.	Correct the object name, or choose one by using the wild card option (if available).
EOR0931 - No Object selected	If the object is determined by the cursor position: place the cursor on a valid object first.	
EOR0932 - No data for this Object	No additional data are available for the selected object.	
EOR0950 - Ambiguous Command	The command could not be interpreted uniquely by the Entire Operations direct command processor.	Enter a valid direct command.
EOR0951 - Invalid Object	A direct command was entered, in which the object is specified wrong, or the object does not exist.	Specify a valid object.
EOR0952 - Ambiguous Object Name	The specified object could not be identified uniquely by the Entire Operations direct command processor.	Enter an unique object name.
EOR0953 - Invalid Direct Command	An invalid command was entered in the 'Command ==>' line.	Enter a valid command; or enter '?' in the command line for help.

EOR0955 - Direct Command: Nesting levels exceeded	Too many direct commands were nested. The direct command should be retried from a lower nesting level.	Return to any previous screen (with PF3), and enter the direct command again.
EOR0961 - Owner:1:not allowed	The current user is not allowed to work with objects of the specified owner.	

Messages and Codes - EOR1001 - EOR1300

To display a long message text, use the direct command:

```
HELP MSG <message-code>
```

Message	Explanation	Action
EOR1002 - Line Command is invalid here	The selected line command is not applicable for this line.	Enter a valid line command.
EOR1009 - Invalid Sub-Network Definition		
EOR1010 - Please enter a Natural Library Name	The function requires the name of a Natural library.	
EOR1012 - Natural Library Name too long (maximum 8 characters)	A Natural library name must not be longer than 8 characters.	Enter a valid Natural library name.
EOR1015 - Volume Serial Number not required	A volume serial number is required if and only if the JCL resides on an uncataloged data set.	Correct or delete VOLSER field.
EOR1022 - The Date Format is:1:	An invalid date format was used.	Enter the date in the displayed format.
EOR1026 - Please specify a month list with a day list (optional)	A month list can be used together with a day list.	
EOR1027 - Please specify a month list with weekdays (optional)	If weekdays are specified, a month list can be specified, too.	
EOR1029 - Job Network successfully added	The job network is now defined in the database.	
EOR1032 - Name must start with a character		Correct error.
EOR1033 - Date Format is:1:	This message is shown, if an error occurs during the processing of an input date field.	Correct error.

EOR1034 - No Jobs activated for Network	A network activation was executed, but no jobs were activated. Possible reason: No jobs were defined for this network.	Check the job network definition.
EOR1035 - Job Network:1:not found	The job network is not defined for the current owner.	Correct error.
EOR1036 - Job:1:not found	1. The job is not defined in the current job network. 2. The job number or job name could not be found in the operating system active jobs or spool queue.	Correct error.
EOR1037 - Job Network definition has been modified	The job network definition modification was successful.	
EOR1038 - No Jobs found	No jobs have been found for the current selection.	
EOR1042 - Job Network :1: activated	The job network is now copied to the active database. It can be identified by an unique run number.	
EOR1043 - No Dataset Name or Library required for Dummy or Cyclic Jobs	Dummy or cyclic jobs have no JCL.	Leave Library Name field blank.
EOR1044 - No Member required for Dummy or Cyclic Jobs	Dummy or cyclic jobs have no JCL.	Leave Member field blank.
EOR1047 - Job disappeared from the active queue	The job can no longer be found in the Entire Operations active database.	
EOR1048 - No events have been found for which the job is waiting.	The job is not waiting for any prerequisite.	
EOR1049 - Owner :1: not defined		Correct error.
EOR1051 - Object not in the Library	The object could not be found in the specified Natural library or PDS. This is a warning only. Entire Operations will accept the job definition.	Select an existing object, or create a new one with the specified name. If there is no object when the job runs, an execution error will occur.
EOR1052 - Library is empty	The specified Natural or PDS library contains no members.	Correct error.
EOR1053 - Object has invalid type	For Natural userexits, only the type 'subprogram' is allowed.	

EOR1058 - Enter Reference or Run Number, not both	Only one of both field may be used.	Correct error.
EOR1059 - Definition of Recovery not permitted for OK completion.	Recovery actions for a job may only be specified for the case, that the job ends not ok.	Correct error.
EOR1060 - Invalid Schedule Type	See the screen or field level help for valid schedule types.	
EOR1062 - Date Flag: empty, A (after), B (before), - (exclude)	A schedule date can be flagged with a letter, to indicate that the previous (B) or next (A) workday shall be scheduled, if the given date falls on a holiday. '-' (minus sign) indicates, that the specified date shall be excluded from the scheduled dates. With this option, exceptions from periodic date lists can be defined. Examples: 10.03.89A Use next workday, if holiday. 16.04.88 Use this date, or do NOT schedule, if holiday. 11.05.89- Exclude this date from scheduling.	Correct or remove schedule date flag.
EOR1063 - Invalid day specification	Please use the field level help to see examples for a valid day specification.	Enter a correct day specification or clear field.
EOR1070 - Still active Jobs or Activations	The Job Network deletion was aborted, since one or more active jobs or planned activations of it have been found. A Job Network can be deleted only if there is no copy of it in the active database, and if all planned activations were removed.	Deactivate the job network on the active database before deleting the job network definition.
EOR1072 - Job :1: activated	A single job has been activated manually, and will be submitted and supervised by the Entire Operations Monitor.	
EOR1073 - Job :1: Activation cancelled	The job activation has been cancelled or interrupted for any reason.	Retry the activation with correct values.
EOR1074 - Job:1:is already active	The job with this job number or operating system name has already been activated. This activation was interrupted.	
EOR1075 - Job:1:JCL Check	The job has been submitted for the purpose of JCL checking only. This is not a real execution.	
EOR1076 - JCL Check only immediately	A job network or single job may be 'submitted' for JCL checking only. No delayed activation may be defined for this case.	Do not modify the date and time fields, if JCL check is selected.

EOR1079 - 'Restartable' not possible for:1:	The feature 'restartable' can not be defined for the execution operation system of this job. The field has been set to 'N' (no).	
EOR1080 - Job Network Defaults inserted	If default values are defined for a whole job network, they will be inserted for empty fields for a new job definition, or on request for an existing job definition. The inserted defaults may be overtyped.	
EOR1081 - Default value for SHARE SYSOUT inserted	The value for the field SHARE SYSOUT was copied from the Entire Operations defaults.	
EOR1082 - Default value for MEMBER TYPE inserted	For the JCL location LMS (BS2000), the member type J (JCL) was inserted as default.	
EOR1083 - Defaults for SYSOUT / SYSLST inserted		
EOR1086 - The time format is HH:MM		Correct error.
EOR1091 - Use 'Number Activations' or 'Activate at', not both	Only one of these fields may be specified.	
EOR1092 - Number of Activations: Range is 2 through 999	Use a value in the allowed range.	
EOR1093 - Invalid Sysout selection criteria		Correct error.
EOR1094 - Invalid Sysout File Type (Allowed are SI, SM, SO, JL, or CC).	Sysout file (dataset) types: SM - System Messages SO - Sysout JL - Job Control Language CC - Condition Code Summary SI - Sysin	Correct error.
EOR1095 - File number must be numeric		Correct error.
EOR1096 - File number range must be n:n	Example: '1:2'.	Correct error.
EOR1097 - Invalid sysout file number		Correct error.
EOR1101 - User Routine not specified. Editing not possible.	The line command is not applicable for this line.	Correct error.

EOR1104 - Returncode or Quantity must be numeric		Correct error.
EOR1111 - Multiple Dependencies not possible	An input condition may be dependent of exactly one special check, like file existence, or input condition user routine. If several special checks are to be defined, please use several input conditions.	Use several input conditions for several dependencies.
EOR1128 - Job Definition not complete	The job definition has not been completed yet. Obligatory fields were not defined. Addition Functions (e.g. editing, operating system specials) are allowed only if the main job definition is complete.	Complete the job definition, confirm it with 'Do' (PF5), and retry the desired function.
EOR1129 - Job Definition for :1: added		
EOR1130 - Job Definition modified		
EOR1140 - Dependencies found for:1:	The object (job, etc.) is dependent from other object. For a job, this means that it is connected to other jobs by any input or output condition.	If you want to delete the object, remove its dependencies first.
EOR1141 - No Dependencies found	The object is not dependent from other objects. For a job, this means that it is not connected to other jobs by any input or output condition.	
EOR1204 - Please enter 'A' (add) or 'D' (delete)		Correct error.
EOR1205 - Please enter the message destination		Correct error.
EOR1210 - Event already defined for Job	This event may be defined only once for a job.	Use the existing event definition to define end-of-job actions.
EOR1211 - Please enter a valid Event Code	Use the field help '?' to see the valid event codes.	
EOR1213 - Please enter the string to be scanned for	The string search has been defined to check the event. A string must be entered.	Correct error.
EOR1215 - Only '/ANYPSTEP' allowed here	Only the reserved name '/ANYPSTEP' is possible for this event type. The defined event (e.g. JFL = job failed) can be determined on the job level only.	
EOR1216 - Invalid Event Type		Correct error.

EOR1218 - Entire Operations Library may not be used	The Library of Entire Operations itself is inhibited for User Routines.	Use another Natural Library.
EOR1220 - No Prose Text defined for the Event	It is possible to give a prose description of any event in the end-of-job handling.	
EOR1222 - The quantity must be greater than zero		Correct error.
EOR1227 - Length range is 1 to 40		Correct error.
EOR1228 - Value is not alphanumeric		Correct error.
EOR1229 - Value is not numeric	If the value is really not numeric, use symbol type 'A' (alphanumeric).	
EOR1230 - Symbol 'Date' Format is YYYYMMDD	The symbol format 'D' (date) was specified. Only a valid date in the format YYYYMMDD will be accepted here.	Correct error.
EOR1231 - Invalid Symbol Format in Line:1:		Please correct the symbol value.
EOR1232 - Symbol out of Range, Line:1:	The symbol value is not in the range which is allowed for it. This message may be caused by a symbol value range check.	Correct the symbol value.
EOR1233 - Symbol Modification, Line:1:Error:2:	An error occurred during the modification of a symbol.	
EOR1260 - Enter Reference or Run Number, not both		Correct error.
EOR1270 - Same run for single Jobs only	Recovery may be performed under the same run number, if it is a single recovery job, and if the recovery job belongs to the same network.	Enter a valid definition.

Messages and Codes - EOR1301 - EOR1500

To display a long message text, use the direct command:

```
HELP MSG <message-code>
```

Message	Explanation	Action
EOR1301 - Job not executing or submitted, not cancelled	The requested function could not be performed.	
EOR1302 - Selected Item is not a job, or job was not submitted	The sysout can only be displayed, if the item is an operating system job, and if it has already been submitted.	
EOR1304 - Job executing.:1:command not possible.	The requested function could not be performed.	
EOR1305 - Job currently executing	A resubmission is allowed only, if the current job is no more active in the operating system.	Wait until termination of the current job, or cancel the current job first.
EOR1306 - Job is not in HOLD Status	The requested function could not be performed.	
EOR1312 - No JCL Location defined	For this function (at least) a JCL location is necessary.	Make a JCL definition for the Job.
EOR1313 - No JCL for this Job Type	This job type does not require a JCL definition.	
EOR1315 - Job executing. JCL cannot be regenerated.	The requested function could not be performed.	
EOR1317 - Active JCL Generation Error	An error occurred during the generation or regeneration of the active JCL. The reason appears as message text in the active jobs list.	

EOR1318 - Active JCL exchanged	The definition of JCL location was modified for an active job. Entire Operations unloaded the current active JCL for this job and loaded the new one to it's own active JCL repository.	
EOR1321 - File Name / Natural Library or Member missing		Correct error.
EOR1323 - Type must be ' ,*', 'JOB', 'STC', 'INI', 'TSU'	Possible Types for Selection: Blank or * All Tasks JOB Jobs STC Started Tasks INI Initiators TSU TSO Users	Correct error.
EOR1324 - Type must be ' ,*', 'BATCH', 'DIALOG', 'TP'	Possible types for selection (BS2000): empty or * - all jobs BATCH - batch jobs only DIALOG - dialog jobs only TP - batch with TP privilege	Correct error.
EOR1350 - No active Job	No active job was found (eventually for the selection).	
EOR1360 - Deactivation of:1:in Progress	The deactivation of a job network or a single job has been initialized. It will be performed in the background by the EOR Monitor. Therefore the job network may remain active for a while.	
EOR1371 - Sub-Network is executing	Function was aborted.	
EOR1372 - Sub-Network was already executed	Function was aborted.	Re-generate the 'JCL' of the sub-network, and retry this function.
EOR1407 - Invalid Condition Status Code (0=free, 1=in use, 2=exclusive)		Correct error.
EOR1419 - Exclusive usage can be set by the Monitor only		Correct error.

<p>EOR1430 - No Loop in Network:1:</p>	<p>The job network definition has been checked for an eventual circular dependency of jobs via their input and output conditions. No circle has been found.</p>	
<p>EOR1431 - Definition Loop in:1:</p>	<p>The job network contains a circular dependency of jobs via their input and output conditions. The job network may be executed with this loop but user has to be aware that this might cause an endless loop when the network is executed.</p>	<p>Remove the input or output condition definition(s), which caused the loop. Use the 'Dependencies' function to get an overview.</p>
<p>EOR1432 - Loop check limit:1:exceeded. Loop check stops.</p>	<p>The loop checks ends after 1000 jobs. This message is issued if in the first 1000 jobs no loop was detected. Note: 1000 is the current limit.</p>	
<p>EOR1451 - Predecessor Job not found</p>	<p>You tried to connect a job with a non-existent predecessor.</p>	<p>Use the wildcard option to find an existing job.</p>
<p>EOR1452 - Jobs not connected</p>	<p>You tried to disconnect 2 jobs that are not connected directly by any condition. The function was not performed.</p>	
<p>EOR1453 - Jobs already connected by:1:</p>	<p>You tried to connect 2 jobs that are already connected by the condition shown in the message. The function was not performed.</p>	
<p>EOR1454 - Recursive Connection not allowed</p>	<p>It is impossible to connect a job to itself.</p>	
<p>EOR1455 - Jobs connected by:1:</p>	<p>The jobs are now connected by the existing or newly generated condition, which is shown in the message.</p>	
<p>EOR1456 - Jobs disconnected</p>	<p>The requested disconnection was successful.</p>	

EOR1457 - Several Predecessor Jobs	The disconnection was not performed, because the connecting condition is output condition of several jobs. Several job connections would be interrupted. The function was aborted.	Remove the output condition definition of the wanted predecessor job.
EOR1458 - Several Successor Jobs	The disconnection was not executed, because the linking output condition is input condition for several jobs. Several jobs would therefore be disconnect.	Perform the disconnection manually by deleting the successor job's input condition.
EOR1459 - No Disconnection in other Network	The job dependency display currently shows a job from another network than it was invoked from. Due to possible different granting rights for the other network, a disconnection is not allowed.	Use the 'Dependencies'/'Disconnect' function from the job which is affected.
EOR1460 - No Connection in other Network	The job dependency display currently shows a job from another network than it was invoked from. Due to possible different granting rights for the other network, a connection is not allowed.	Use the 'Dependencies'/'Connect' function from the job which is affected.
EOR1481 - Only possible with Reference = RUN	The requested special input condition dependency is only possible, is the condition reference is set to 'RUN'. This is necessary, because the condition can be prompted by any user interaction.	Correct error.
EOR1500 - You have Mail	There are messages in your Entire Operations mailbox.	Use the direct command 'MAIL' to see your messages.

Messages and Codes - EOR1501 - EOR2000

To display a long message text, use the direct command:

HELP MSG <message-code>

Message	Explanation	Action
EOR1510 -:1:has:2:Mailbox Messages	The message shows the number of mailbox messages waiting for a user or group.	
EOR1511 - User Profile prohibits Mailbox Display	There are messages in the user's mailbox, but they can not be displayed due to the user profile.	Change the user's profile, or send the messages to another destination.
EOR1531 - Mailbox:1:not defined	The mailbox has not been defined by the system administrator.	Use the wild card option to get a list of valid mailboxes.
EOR1532 - Mailbox linked to User:1:	The mailbox definition cannot be deleted, since it is linked to a user.	Delete the mailbox link for the user first.
EOR1533 - Mailbox linked to Job:1:	The mailbox is linked to an input condition of the job appearing in the job.	Delete the mailbox link for the input condition first.
EOR1651 - End-of-Job Activation not allowed for:1:	The current or defining user of the End-of-Job Action 'Activation' is not allowed or granted to activate the specified job network or job. The definition or activation was aborted.	
EOR1701 - Invalid Grant Option	The grant option is missing or invalid.	Use the field level help to select a valid grant option.
EOR1702 - Invalid Grant Object	The Objects to be granted may be: Owner User	Enter a valid Grant Object
EOR1705 - Network Owner added to Grants	The network owner was added to the granting list. The 'own' owner must be defined by default.	
EOR1712 - User Profile:1:not found	Use the profile of a defined user.	
EOR1714 - User Profile copied from:1:	The profile of user :1: has been successfully copied to the definition of the new user.	
EOR1715 - User:1:not defined	Use the 'System Administrator Services' to define the user first.	

EOR1717 - User:1:deleted	The user definition within Entire Operations has been deleted.	
EOR1718 - User:1:added	The user is now defined to Entire Operations.	
EOR1719 - User:1:modified	The definition of the user was successfully modified.	
EOR1720 - Invalid User Type	Valid user types can be inquired with the field level help (?).	
EOR1740 - Modification of Entire Operations System Defaults not allowed	Modification of EOR defaults is not allowed for this user. Only the system administrator is allowed to modify EOR defaults. A system administrator is defined in the EOR user profile by: 1st Usertype = A 2nd Owner = SYSDBA	
EOR1752 - Resource Name missing		Correct error.
EOR1753 - Resource Type missing		Correct error.
EOR1754 - Initial Quantity is less than in use	The initial quantity of a logical resource may not be lower than the quantity currently in use.	
EOR1801 - Please enter the Log Date		Correct error.
EOR1811 - Please enter a Date Range		Correct error.
EOR1815 - Date Range may not exceed 1 month		Enter a valid date range.
EOR1818 - Symbol Table Name missing		Correct error.
EOR1819 - Symbol Table Name required for Type = 'MAC' only	A symbol table must be specified for all MAC-type jobs, i.e. jobs that use dynamic JCL generation. A symbol table may not be specified for any other job type.	Correct error.
EOR1830 - More than:1:symbol tables in network	It is not possible to use more symbol tables within a whole job network, than specified in this message. The network activation will be interrupted.	Use less symbol tables.
EOR1840 - Range Check only valid for Format 'N'		

EOR1841 - No User Routine possible - Range check defined	A range check was defined for this symbol. No additional user routine definition is possible.	
EOR1850 - Symbol Name missing or invalid	The Symbol name must be in a valid Natural variable name format. IT MUST NOT BEGIN WITH ANY ESCAPE SYMBOL.	Correct error.
EOR1851 - Symbol Type missing or invalid		Correct error.
EOR1852 - Symbol Value missing		Correct error.
EOR1853 - Symbol Length enlarged	The defined symbol length was smaller than the real length. Entire Operations set it to the real size.	
EOR1855 -:1:	The entered symbol value has been rejected by a symbol plausibility check user routine. The message text is supplied by the user routine.	Enter a correct symbol value.
EOR1859 - Symbol Table used in Definitions	The symbol table may not be deleted, because it is defined for the dynamic JCL generation of some jobs. To find out these jobs, use the W line command.	Modify the corresponding job definitions first.
EOR1860 - Symbol Table not used in Definitions	The symbol table is not defined for any job for dynamic JCL generation.	
EOR1863 - Invalid Symbol Prompting	Use the field level help to see the valid prompting types; correct error.	
EOR1864 - Symbol:1:modified	The symbol value modification was successful.	
EOR1911 - Natural Subtasks limited to:1:	The number of parallel subtasks for the execution of Natural programs is limited to the shown value.	
EOR2000 - Monitor Task:1:Start on:2:at:3:	The Message shows the date and time the Entire Operations Monitor Task was started or restarted. (Task 1 is the Monitor Main Task.)	

Messages and Codes - EOR2001 - EOR2100

To display a long message text, use the direct command:

```
HELP MSG <message-code>
```

Message	Explanation	Action
EOR2001 - Monitor:1:, last active time:2:	The message shows the current status (:1:) of the Entire Operations Monitor. Possible values: active - Monitor is running. not active - Monitor was never started in this task. ended normally - Monitor was shut down. failed - A Monitor error occurred. shutdown in progress - Shutdown not accepted by the monitor yet. The message also shows the last time, when the monitor performed any function.	
EOR2002 - Monitor shutdown in progress ...	A Close (Shutdown) command was given for the Entire Operations Monitor. The monitor will recognize the Close during its next active cycle (within the specified wait time).	
EOR2003 - Monitor Library:1:, FNAT:2:, FUSER:3:	The library and the FNAT and FUSER assignments for the current Entire Operations Monitor session.	
EOR2004 - Task:1:ended on:1:at:2:	A monitor task ended normally. The message reports date and time.	
EOR2006 - Monitor Restart on:1:at:2:	The Entire Operations Monitor was automatically restarted after the occurrence of an internal error.	
EOR2007 - Adabas is not active	The Entire Operations Monitor has to stop processing, since its system file or data file is currently not available.	Restart the Adabas nucleus for the Entire Operations system file and data file.
EOR2008 - Please restart Adabas, then restart the Entire Operations Monitor		
EOR2010 - Task:1:- Initialisation terminated	This message appears immediately before the monitor main loop is started.	
EOR2011 - Task:1:cycle end at:2:,used:3:sec,cycle:4:sec		

EOR2012 - Task:1:cycle begin at:2:		
EOR2020 - Task:1:will be started	A Monitor-Task is about to be started.	
EOR2021 - Monitor Task:1:- Start Error:2:		
EOR2022 - Task:1:takes over task:2:		
EOR2023 - Task:1:- Subtask Table full	The Monitor task shown in the message could not be initialized. The subtask table of the Entire System Server is full. The actions of this task will be performed by the main task (task 1).	Increase the maximum number of Natural subtasks in the Entire System Server.
EOR2024 - Task:1:already active		
EOR2025 - Task:1:Start, Node:2:not active		
EOR2029 - User routine called non-existent program	A non-existent program was called as or by a Entire Operations user routine. The Monitor continues processing.	
EOR2030 - Entire Operations Monitor Error:1: in Program:2:, Line:3:	An internal error in the Entire Operations Monitor occurred.	Contact Software AG support.
EOR2031 - Invalid parameter number in User Routine:1:	The number of parameters of a Entire Operations User Routine is incorrect.	See the description of user routines, or create a new one. The parameter list will be predefined in that case.
EOR2032 - Invalid Parameter Format or Length in User Routine:1:.	The format of parameters, which are passed to a user routine, may not be modified.	See the description of user routine parameters; or create a new one.
EOR2033 - User Routine:1:not found	The specified user routine can not be found in source or object format.	Check if user routine exist. Eventually repeat the 'MACRO' and 'TEST' functions.
EOR2034 - Access denied to User Routine:1:	The function could not be performed, because the required User Routine is not accessible. A possible reason is the protection by Natural Security.	
EOR2042 - Planning Error;:1:	An internal error occurred during the planning process.	Contact SAG support.

EOR2044 - Nat Msg Cache, Fct:1:Resp:2:Subc:3:	An error occurred during an access to the Natural Message Cache. The message contains the used function, the response code, and the subcode.	
EOR2045 - Natural Message Cache enabled		
EOR2046 - Natural Message Cache disabled		
EOR2047 - Library:1;, Natural:2:	Name of the Entire Operations library. Natural version under which the monitor is running.	
EOR2049 - Log File:1:will be used		
EOR2050 - Data File:1:will be used	<p>The message shows the current location of the Entire Operations data file.</p> <p>The data file assignment is done by</p> <ul style="list-style-type: none"> - the macro 'NTFILE 216,<dbid>,<fnr>' in the Natural parameter module; or by - dynamic parameter 'LFILE=(216,<dbid>,<fnr>)' in the Natural startup (batch or online). <p>The assignments for batch and online must be equal. The online assignment is displayed in 'System Administrator Services' / 'Entire Operations Defaults'.</p> <p>If the monitor is (re-)started from online, the online values will be used for the monitor startup.</p>	
EOR2051 - Monitor User ID:1:	The Entire Operations Monitor takes this user ID to logon to Entire System Server and security systems.	
EOR2052 - Entire Operations Version:1:of:2:	This message shows the currently used version and version date of Entire Operations.	
EOR2054 - Task:1:- Wait Time is:2:seconds	This message shows the wait time of a monitor task effective at the monitor startup or after a modification by the system administrator.	
EOR2056 - SAT Version:1:	This message appears as information during the Monitor startup.	
EOR2057 - Editor:1:of:2:	This message shows the currently used edito version and date.	
EOR2058 - Monitor Node:1:	The node, which the Entire Operations Monitor uses for actions which do no belong to a network or job.	
EOR2059 - Natural ETID is:1:		

EOR2060 - Entire Operations Monitor Node:1:not active	The ESY node for Entire Operations ended or was never started.	Start the ESY node for Entire Operations.
EOR2061 - Node:1:Task:2:Adabas active ? Restart Task - Y/N ?	This message is issued to the operator console, if the Entire Operations FNAT or system file is no more active. The message can be replied with 'Y' or 'N' (see below). If 'N' is replied, the Entire Operations Monitor must be started later with an Entire System Server restart or from the Entire Operations online environment. 'Y' may ONLY be replied, if the requested database is up again. The Entire Operations Monitor Task will then be restarted. NOTE: If several Monitor Tasks are active, this message must be replied for EACH task.	Answer 'Y' for restart of the EOR Task AFTER the requested database is active again. 'N' causes a shutdown of the EOR Task.
EOR2062 - Monitor:1:by Operator	The Entire Operations Monitor has been restarted or shut down by the console operator as reply to the console message EOR2061.	
EOR2064 -:1:Node:2:Task:3:failed - Permanent Error	This message is issued by the error handling of the Entire Operations Monitor, if a recovery for a permanent error is not possible. See the SYSOUT messages of the EOR Monitor for details.	Contact Software AG Support.
EOR2065 - Task:1:terminated by:2:on:3:at:4:	A task of the Entire Operations Monitor was terminated because of a previous fatal error. The issuing program appears in the message.	
EOR2066 - Task:1:-:2:-:3:-:4:	The message shows some monitor task information: - date and time of the start (or the last reconfiguration) - date and time of the last activity - usage (in percent of real time)	
EOR2068 - Monitor Task:1:Restart by:2:	An Entire Operations Monitor Task was restarted by the global error transaction.	
EOR2070 -:1:Exit:2:active. Type =:3:	The message indicates that a general exit routine is to be used by the Entire Operations monitor. :1: is the place of usage (e.g. 'Submission'). :2: is the name of the exit. :3: is the exit type (Assembler or Natural). This message is issued as information only.	

EOR2071 -:1:Exit:2:not found. No Usage.	The specified user exit is not accessible for the Entire Operations monitor. If type = Assembler, it is not linked into Natural or not dynamically loadable. If type = Natural, it is not in any Entire Operations Steplib. The Entire Operations monitor continues startup; but no userexit will be used.	Specify a valid userexit.
EOR2074 - Error accessing STEPLIB table:1:.	Any error occurred when adding a steplib definition to a steplib table via NAT00009 API. The response code from NAT00009 is returned.	
EOR2075 - SAT Error -:1:	An error occurred within a SAT routine. If the message contains an error number, please refer to the SAT error messages description.	
EOR2076 - Limit for STEPLIB-Assignments exceeded.	Currently only 7 STEPLIB assignments are allowed at one time by the system. User tried define more than 7 Steplibs.	
EOR2077 - LFILE 204 (SAT) not assigned	The Natural LFILE 204 for the SYSSAT / SYSSATU FNAT file was not assigned.	Correct your SAT parameter module or the Natural parameter module.
EOR2080 - Monitor Batch File not found	The batch file for the Entire Operations Monitor is undefined or can not be found. A start of the monitor is not possible.	Define a valid batch file for the Monitor in the 'Monitor Defaults'.
EOR2081 - Monitor Batch Job, ESY:1:	An Entire System Server error occurred during the Submission of the Entire Operations Monitor job (applies for BS2000 and DOS/VSE).	Check the Entire System Server error code.
EOR2082 - Monitor started with JobId:1:	The message gives the job ID of the Entire Operations Monitor, if it runs as a separated task.	
EOR2083 - Monitor Task:1:Start, JobId:2:		
EOR2090 - Def. Message Code, Severity:2:::1:	During this monitor session, the displayed message code will be searched in each job sysout. If it appears, the job will be handled with the displayed severity (as if a condition code with the same value appeared). These codes can be defined in the Global Message Code Table.	
EOR2099 - Monitor shutdown by operator command	The Entire System Server received a SHUTDOWN operator command. The Monitor will be terminated.	

Messages and Codes - EOR2101 - EOR2500

To display a long message text, use the direct command:

```
HELP MSG <message-code>
```

Message	Explanation	Action
EOR2103 - Schedules of:1:networks extracted	This message shows the number of networks, for the schedules were extracted by the monitor.	
EOR2120 - More than:1:steps in Network:2:, Job:3:	The job result analyzing subroutine (OJOBRESL) found more steps in a job sysout than can be processed at one time. The job result will be set to 'not ok', to prevent steps left without analysis.	Split the job into several smaller ones, or contact SAG support.
EOR2131 - Start:1:		
EOR2135 - Cleanup started	The cleanup of the log file, active job records, and other active objects is currently in progress.	
EOR2136 - Cleanup ended		
EOR2139 - Last Cleanup was at:1:	The cleanup of the Entire Operations active queue and log records has been skipped, since the previous cleanup was too short ago.	
EOR2140 - Cleanup will be continued	The cleanup has been interrupted, because the internal cleanup limit was reached. It will be continued in the next monitor cycle.	
EOR2141 -:1:Active Symbols older than:2:deleted		
EOR2142 -:1:Conditions older than:2:deleted		
EOR2143 -:1:Temp. Objects older than:2:deleted		
EOR2144 -:1:Log Records older than:2:deleted		
EOR2145 -:1:Mailbox Entries older than:2:deleted		
EOR2149 - Networks older than:1:being deactivated		

EOR2150 - Jobs older than:1:to be deactivated	The deactivation of active jobs older than the displayed date has been initialized. The deactivation is automatically done by the EOR Monitor.	
EOR2151 -:1:Jobs deactivated	The deactivation of active jobs has been successful.	
EOR2155 -:1:Temp. Planning Entries removed	Temporary 'Active Queue' entries have been removed, which were created during planning or forecasting.	
EOR2156 -:1:Active Job Variable Entries removed	Unnecessary active job variable entries have been removed. Applies for BS2000.	
EOR2157 -:1:Active Event Entries removed		
EOR2171 - File deletion started		
EOR2172 - File deletion ended -:1:files		
EOR2181 - Startup Network:1:still running	The monitor startup network is still executing.	
EOR2191 - General Deadline is:1:	The general deadline time was set or modified.	
EOR2192 - General Deadline removed		
EOR2200 - Job:1:submitted for:2:Run:3:	A job has been submitted by the Entire Operations Monitor. The message contains owner, network, job, and run number.	
EOR2201 - Job:1:requires:2:units of:3:.. No submission.	A job could not be submitted, because an amount of a prerequisite logical resource was missing.	Check logical resource or job definition.
EOR2211 - Task:1:- Defaults updated	The monitor defaults were read from the definition into the internal data area.	
EOR2219 - Task:1:-:2:Monitor Commands removed	Internal commands to a Monitor task were remove during task startup or shutdown.	
EOR2221 - Task:1:held		
EOR2222 - Task:1:released		
EOR2251 - Activations:1:min. before Earliest Start	Shows the setting of the EOR global default variable 'Activation before earliest start'.	
EOR2269 - Submit Security Type:1:		

EOR2270 - Submit Security User ID always from Monitor	All jobs will be submitted with the security rights of the Entire Operations Monitor user ID, if a security system like RACF is active on the execution node.	
EOR2271 - Submit Security User IDs = Network Owners	Jobs will be submitted with the security rights of their network owner, if a security system like RACF is active on the execution node.	
EOR2272 - Submit Security User IDs from defining Users	The Entire Operations Monitor performs an Entire System Server Logon with the user ID of the defining or last modifying user before the submission of the job, if a security system like RACF is active on the execution node.	
EOR2301 - Too many Grants	The number of granted users for a job network exceeds the internal table size.	Reduce the number of grants; or contact SAG support
EOR2309 - Invalid Location	The function requires a valid location.	Correct error.
EOR2310 - Invalid JCL Location	The JCL Location is not defined or not available for the current node (operating system).	Use the field level help to get a list of valid locations.
EOR2311 - Invalid Combination Type / Location	The possible combinations of job types and JCL locations are restricted.	
EOR2312 - Invalid Combination Operating System / Location	The JCL location type is not possible for the Operating System of the JCL Node.	
EOR2313 - Invalid Combination Job Type / Operating System	The defined job type is not valid for the given operating system.	Enter a valid job type.
EOR2401 - Userexit Error:1:in:2:Line:3:	Check the user exit (user routine) shown in the message.	
EOR2402 - ESY Error:1:in:2:Line:3:	An Entire System Server error occurred.	
EOR2403 - Lost Record:1:in:2:Line:3:		
EOR2410 - Node:1:Test, Error:2:	An error occurred during the availability test of an Entire System Server node. The function could not be performed.	
EOR2411 - Node:1:Test, Timeout (3224)	A timeout occurred during the availability test for an Entire System Server node.	
EOR2415 - Node:1: - Env.Var.:2:missing	An environment variable necessary for Entire Operations is missing.	Check the environment variables of the node.

EOR2420 - Node:1:- Event:2:being used	The message indicates which ESY event is used for the Monitor task.	
EOR2421 - Node:1:- Event:2:not existing	An ESY event does not exist, which is necessary for the Entire Operations Monitor.	
EOR2490 - NOM File:1:will be used	The System File of Entire Output Management (NOM) is available. The NOM API can be used.	
EOR2491 - NOM File not assigned	The System File of Entire Output Management (NOM) is not defined. The NOM API can not be used.	
EOR2500 - CON-NECT File:1:will be used	This Message appears only, if the Entire Operations Monitor can access CON-NECT for message switching, etc.	

Messages and Codes - EOR2501 - EOR3100

To display a long message text, use the direct command:

HELP MSG <message-code>

Message	Explanation	Action
EOE2501 - CON-NECT File not assigned	No access to CON-NECT services is possible during this Entire Operations Monitor session. The CON-NECT system file is not accessible by a LFILE assignment.	
EOE2507 - Message Sending via Node:1:to		
EOE2508 - Message Sending to:1:via:2:	The Entire Operations Monitor sends a message to a user or group. via CON-NECT: The target is a CON-NECT in-basket. via TSO: The message will be sent to a TSO user.	
EOE2509 - Message Sending to:1:via Node:2:	The Entire Operations Monitor sends a message using the node shown in the message.	
EOE2510 - Message Sending to:1:, Error:2:	An internal error occurred during message switching.	Contact SAG support.
EOE2511 - Message Sending, Timeout (3224)	A timeout on the receiver side occurred during an attempted message switching. The message could not be sent. The receiver can be an Adabas database (for CON-NECT) or an Entire System Server node.	
EOE2512 - Unable to send User Message - CON-NECT Error:1:	A message could not be sent to a CON-NECT user, because of an internal CON-NECT error. The Natural error code from the CON-NECT API is shown in the message.	
EOE2513 - Message Sending to:1:, Database not active	The message could not be sent, because the CON-NECT database was not active. The message sending will be retried later.	
EOE2514 - Message Sending to:1:, Backout	An Adabas 'Backout Transaction' (BT) occurred during message sending. The internal error code is NAT3009. The function will be retried by the EOR Monitor.	
EOE2515 - CON-NECT Database:1:not available		

EOR2516 - Message Sending to CON-NECT disabled	Too many erroneous attempts of CON-NECT message sending force the disabling of message sending to CON-NECT.	
EOR2517 - Message Sending will be continued	The message sending will be continued in the next activity period of the Monitor.	
EOR2518 - Message receiver:1:not found or not unique.	The message could not be sent to CON-NECT because the specified recipient is not defined as a user within CON-NECT. Message sending will not be retried.	
EOR2519 - Please add standalone cabinet 'SYSEOR' to CON-NECT	Message sending in Entire Operations via CON-NECT needs a special cabinet. Your CON-NECT Administrator should enter the cabinet SYSEOR with password SYSEOR as a standalone cabinet to CON-NECT. The Description of the cabinet should be 'EOR-Monitor'. This description is added as sender-name to the CON-NECT messages.	
EOR2520 - No sending possible, CON-NECT Error-Code 23, Z-MAILA	The system CON-NECT cabinet 'SYSEOR' does not exist. CON-NECT API Z-MAILA is not able to send message to specified user.	
EOR2521 - Message Sending to:1:- Node:2:not active	A message could not be sent, because the receiver node is not active. The Entire Operations Monitor tries to send the message later.	
EOR2522 - Message Sending to:1:- Node:2:not found		
EOR2535 - Direct Calls to Monitor Node:1:	All calls to the monitor node are issued directly. No communication mechanism like Net-Work or Broker will be used. This works only if the Natural runtime environment and the node (operating system server) are located on the same physical machine.	
EOR2540 - Monitor Node:1:Error:2:	An Entire System Server error occurred on the node, on which the Entire Operations Monitor is executed.	
EOR2541 - Monitor Node:1:invalid	The Monitor Node is defined, but marked as invalid.	Mark the Monitor Node as valid again.
EOR2542 - Monitor Node:1:must remain active	The node is defined as monitor node. It must not be deleted or set to 'invalid'.	
EOR2550 - ESY Subtask Monitor Start in Progress ...	The Entire Operations Monitor is going to be started as subtask under a Entire System Server node.	

EOR2551 - ESY Subtask Monitor Start failed	The Entire Operations Monitor could not be started as subtask under an Entire System Server node.	Please analyse the messages following this message.
EOR2552 - ESY Subtask Parameter Read failed	During startup of the Entire Operations Monitor as subtask, some parameters must be read from the Entire System Server parameter file. The parameter read could not be executed.	See the following messages for details.
EOR2553 - EOR Defaults not found, Application:1:	The program 'INSTALL' in the Entire Operations library was not executed before the first Monitor start.	Run 'INSTALL' online, then start the Monitor again.
EOR2554 - Monitor Node, Subtask::1:Defaults::2:	The Entire Operations Monitor node defined in the Entire System Server Subtask parameters is different from the Monitor defined in the Entire Operations defaults.	Correct the ESY Subtask parameter and/or the EOR defaults.
EOR2555 - ESY Subtask Monitor Event definition failed	For the communication with the Entire Operations Monitor, an ESY event is defined during the Monitor startup. This action failed.	See the following messages for details.
EOR2556 - Monitor Subtask User ID is:1:		
EOR2557 - Monitor Subtask Natural Nucleus is:1:		
EOR2570 - Entire Operations Monitor not active		
EOR2571 - Please enter the Monitor Wait Time	The 'wait time' field must contain a value for this function.	Enter a valid wait time.
EOR2572 - Monitor Start, SAT Error:1:	A SAT (System Automation Tools) error occurred during the Monitor start.	
EOR2575 - Monitor Version Error - terminated	The online version and the Monitor version of Entire Operations seem to be different. The Monitor can only work properly under the same version, as is used online.	Use the direct command 'TECH' to update the internal control record, then try to restart the Monitor.
EOR2576 - Duplicate Monitor Start attempted	It was attempted to start a monitor task while another one was still running.	
EOR2577 - Monitor already active at:1:	It was attempted to start a Monitor in an environment where a Monitor is already active. The last active time of the already active task appears in the message.	
EOR2580 - Natural Task:1:Start on:2:at:3:	A dedicated Natural task was started by the Monitor.	

EOR2600 - Starting Data Modification:1:	A modification of the Entire Operations system file must be performed, due to updates to Entire Operations programs or due to a new SM level. The modification is done automatically and only once at the first monitor startup after a Entire Operations software modification.	
EOR2601 - Data Modification:1:ended normally		
EOR2921 - Schedule Extraction from:1:thru:2:	The network schedules will be extracted (i.e. prepared for activation) for the displayed date range.	
EOR2922 - Schedules of:1:Networks extracted	The message shows the number of networks, for which an activation has been initialized during the schedule extraction.	
EOR2931 - Network:1:did not run on:2:	The network has been scheduled for the displayed day, but could not be executed for any reason.	
EOR2940 - Schedule Extraction on:1:at:2:	A global schedule extraction will be executed at the displayed time. The schedule extraction was triggered automatically by the Entire Operations Monitor, or manually by any user.	
EOR2941 - Network Activation scheduled on:1:at:2: Run:3:	The activation of one job network has been scheduled for the displayed date and time.	
EOR2942 - Job Activation scheduled on:1:at:2: Run:3:	The activation of a single job has been scheduled for the displayed date and time.	
EOR2961 - Activation cancelled	The network or job activation has been cancelled by the user.	
EOR2965 - Start Time still in the Past	The planned network start time was not modified. The network can not be activated, until the start time is in the present or in the future.	Enter a start time in the present or future, or cancel the activation.
EOR3002 - Calendar year format is 'YYYY'.		Enter a valid year.
EOR3004 - Layout calendar not found		Correct error.
EOR3005 - Please mark date in format 'DDMM'.		Correct error.
EOR3010 - Calendar belongs to:1:. Modification not allowed	The calendar may not be modified, because it belongs to another owner.	

EOR3011 - Calendar is used in Schedules. Function aborted.	A calendar may not be deleted, if it is used for any schedule definition.	The 'W' line command shows the current usage of the calendar.
EOR3012 - Calendar:1:not used in Schedules	The calendar is not used for any schedule definition.	
EOR3013 - Calendar:1:not defined		Correct error.
EOR3014 - Calendar:1:undefined for:2:	The requested calendar is defined, but not for the given year.	Define the calendar for the requested year.
EOR3020 - Date:1:added	A date has been added in a calendar or schedule definition.	
EOR3021 - Date:1:removed	A date has been removed from a calendar or schedule definition.	
EOR3022 - Calendar:1:added	A calendar was added for the displayed year.	
EOR3023 - Calendar:1:modified	A calendar was modified for the displayed year.	
EOR3024 - Calendar:1:deleted	A calendar was deleted for the displayed year.	
EOR3030 - No Calendar defined	The requested function is not available, since no calendar is linked to this object.	
EOR3060 - No History Data available for:1:	No history data were stored by Entire Operations for the selected year or date. Possible reasons: - Job network was never activated. - Job network was not defined in the given year.	

Messages and Codes - EOR3101 - EOR5999

To display a long message text, use the direct command:

```
HELP MSG <message-code>
```

Message	Explanation	Action
EOR3101 - Please enter the Entire Operations Monitor batch module name	Entire Operations must know the module name of the linked batch Natural for the Monitor, to be able to restart it out of the System Administrator Services.	Correct error.
EOR3102 - Condition Retention Period too small	The active condition retention period must be greater or equal than the log retention period.	
EOR3103 - Active Jobs Retention Period too small	The retention period for active jobs must not be shorter than the retention period for active networks. See the field help for details.	
EOR3110 - Please confirm password change	A password has been modified. It must be entered twice for confirmation.	Please re-enter the password
EOR3111 - Invalid new password	The second entry of the new password did not match. The old password remains valid.	
EOR3200 - Invalid Node Number:1:		Enter a valid node number.
EOR3201 - Invalid Time Difference		Enter a time difference (in hours) in the range from -12 to +12.
EOR3202 - Please enter the node name		Correct error.
EOR3204 -:1:Nodes allowed	The maximum number of defineable Entire System Server nodes has been reached.	Contact Software AG support.
EOR3205 - VSE SysId must be 1 thru 9	The VSE SysId must be in the range 1 thru 9, or zero.	Enter a correct value.
EOR3206 - Server already defined		
EOR3211 - Broker Error:1:		

EOR3215 - Server:1:not in SATSRV	The operating system server name was not defined in library SYSSATU, member SATSRV.	Add a correct server entry in SYSSATU / SATSRV.
EOR3219 - Node:1:undefined	The node must be defined in the node table.	
EOR3220 - Node:1:Error:2:	An error occurred during access to an Entire System Server node. The Entire System Server error is shown in the message.	
EOR3221 - Node:1:not active		
EOR3222 - Node :1: Operating System :2: not supported		
EOR3225 - Node Name missing		
EOR3232 - Operating System Server:1:not supported		
EOR3338 - No match for:1:	No object was found for the specified search criteria.	
EOR3371 - Access denied for user:1:	The access to this object was denied due to the access rights of this object.	
EOR4000 - Editor Error::1:	An internal Editor error occurred. The message contains an error number or error text.	Contact SAG support.
EOR4001 - Sysout browsing error:1:	An internal editor error occurred during the browsing of a job sysout. The message contains an error number or error text.	Contact SAG support.
EOR4002 - Editor Open Error :1::2::3:	An internal editor error occurred.	Contact SAG support.
EOR4003 - Editor Close Error :1::2::3:	An internal editor error occurred.	Contact SAG support.
EOR4010 - Object cannot be edited from:1:	The object cannot be edited from this Natural environment.	
EOR4011 - Executable can not be edited		
EOR4101 - Editor Buffer Pool can not be used. RC =:1:	An Editor error occurred during space allocation in the Editor buffer pool. Processing continues. The Editor will allocate its work space elsewhere.	Contact SAG support.

EOR4120 - Sysout of JobId:1:not found	The sysout of the job has already been deleted from the spool output. Browsing is no more possible.	
EOR4130 - SYSLST Begin		
EOR4131 - No SYSLST File Assignment found in Sysout		
EOR4132 - SYSLST File:	This message shows the current SYSLST file.	
EOR4133 - SYSLST Error:		
EOR4134 - SYSLST File empty		
EOR4139 - Unexpected Continuation of SYSFILE Assignment		
EOR4501 - No Symbol Table specified		Correct error.
EOR4502 - No Symbol Name specified		Correct error.
EOR4503 - No Symbol Value specified		Correct error.
EOR4510 - Symbol Table:1:empty	The requested symbol table contains no symbols.	Correct the symbol table name, or add symbols to the table.
EOR4511 - Symbol:1:not in Table:2:	A symbol could not be found in the defined symbol table.	Add the symbol to the table, or correct the symbol name.
EOR4512 - Symbol Name too long	A symbol name may not exceed 20 characters.	To separate the symbol from the following text, use a separator. A single dot after a symbol will be eliminated after replacement.
EOR4513 - Symbol:1:not found		
EOR4520 - Line too long after Replacement	One or more symbols have been replaced by their current values during the JCL generation. After the replacement, the resulting line is longer than allowed for the given operating system.	Split the JCL line and use continuations.
EOR4530 - No active Symbol Tables	No active symbol tables have been found for the selected network activation.	
EOR4550 - This is not a MACRO program	The job does not use the dynamic JCL generation.	

EOR4551 - Use MACRO Command for MACRO programs	Programs for the dynamic JCL generation may not be stowed. To compile the internal JCL generation routine, please use the MACRO Editor command.	Correct error.
EOR4552 - Use TEST command for MACRO programs	Programs for dynamic JCL generation cannot be checked for their syntax like normal Natural programs.	Use the Editor TEST command to see generated JCL.
EOR4553 - RUN command not possible for MACRO programs	Programs for dynamic JCL generation cannot be executed directly.	
EOR4554 - Use STRUCT command for Natural programs only	Only Natural programs may be structured with the STRUCT command.	
EOR4555 - Command failed - Source is already edited elsewhere.		
EOR4556 - #INCLUDE not found		
EOR5000 - Entire System Server Error:1:	An error occurred during the internal invocation of an Entire System Server function.	See the Entire System Server error messages for the message number. If this is a severe error, contact Software AG support.
EOR5100 - Access to ESY Node:1::2:OpSys:3:	The message is issued before the first access of the Entire Operations Monitor to an Entire System Server node.	
EOR5101 - Node:1:-	This Message contains an Entire System Server error text.	
EOR5102 - Node:1:disabled for Monitor	The node can no more be accessed by the Entire Operations Monitor for any action.	
EOR5110 - Node Table Refresh demanded		
EOR5111 - Node Table Refresh for:1:demandd		
EOR5509 - Logon failed, Node:1:, Id:2:	Entire Operations tried a Logon to an Operating System Server for a user ID on the node shown in the message. The current action was interrupted.	Check the user's security definitions.
EOR5510 - Logon required, Node:1:Id:2:	The Operating Server for the displayed node requires a Logon.	Use the 'LOGON SERVER ...' direct command for a logon to the node.

EOR5661 -:1:Natural Subtask already active	The Entire System Server subtask for the Entire Operations Monitor could not be started, because it is already active.	
EOR5697 - Library / Sublibrary not found		
EOR5995 - File not found	An invalid file name was entered.	Enter a valid name.
EOR5996 - Volume not online	Check for correct file and volume.	
EOR5999 - Entire System Server Node:1:not active	Entire Operations requested a function from an Entire System Server node, which is currently not active.	Start the Entire System Server node.

Messages in Active Jobs Display

This section lists the most important messages which may appear in the message column of the Active Jobs display. Most messages speak for themselves, but for some messages, an explanation is provided below.

Job activated

Explanation:	The job has been loaded to the active queue.
--------------	----------------------------------------------

Cyclic job executed

Ended not ok - <job step> <condition code>

Explanation:	Job ended not OK . See condition code and job step (OS/390 only).
--------------	--------------------------------------------------------------------------

Ended ok

Explanation:	The job terminated OK.
--------------	------------------------

HOLD in Spool Input Queue

Job disappeared from Spool Queue

Awaiting JCL Load

Job failed - JCL Error

Job not run - JCL Error

Job terminated - In Spool Output Queue

Explanation:	The job terminated, but has not been examined by the Monitor yet.
--------------	-------------------------------------------------------------------

Member Name missing

Waiting for submission

Job resubmitted

Explanation:	The job has been resubmitted, but has not been recognized by the monitor yet.
--------------	-------------------------------------------------------------------------------

Start Time <date> <time>

Explanation:	The earliest start time for a job, unless its type is cyclic . Job waits
--------------	---------------------------------------------------------------------------------

Next Start Time <date> <time>

Explanation:	The earliest (next) start time for cyclic jobs. Job waits.
--------------	------------------------------------------------------------

Latest Start <date> <time> exceeded

Submitted as job NNNN

Explanation:	The job was submitted successfully.
--------------	-------------------------------------

Job XXXX Waiting in Spool Input Queue

Cannot delete <in-condition>-<run-number>-<in-condition-reference> - in use

Explanation:	The specified in-condition is used by at least one job.
--------------	---------------------------------------------------------

Condition <in-condition> not satisfied

<condition> - <run> - <date> not found

Explanation:	The job is waiting for one or more input conditions to be fulfilled.
--------------	----------------------------------------------------------------------

User Rtn <user routine> called non-existent program

Recov. Network <network> not found

<Message from User Routine>

Explanation:	A user routine can return an user-defined message text for the active jobs display. The message is displayed only if the user routine returns a "not OK" status.
--------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------

Job variables not supported for <operating system>

Explanation:	Job variables are only allowed in the BS2000/OSD operating system.
--------------	--------------------------------------------------------------------

JV <job variable> not matching

User Switch <BS2000 user ID / BS2000 user switch> is on

Explanation:	The BS2000/OSD user switch is on, although it should not be on.
--------------	-----------------------------------------------------------------

User Switches not supported for <operating system>

Explanation:	User switches are only allowed in the BS2000/OSD operating system.
--------------	--------------------------------------------------------------------

User Switch <BS2000 user ID / BS2000 user switch> not on

Node NNN undefined

Explanation:	The execution node cannot be found in the node table.
--------------	-------------------------------------------------------

Node NNN not active

Explanation:	The execution node is not active.
--------------	-----------------------------------

Prerequ. Check: Node NNN Error XXXX

Explanation:	An error occurred during node check.
--------------	--------------------------------------

NNN tape units required

Explanation:	There are not enough tape units available.
--------------	--------------------------------------------

Resource <resource> undefined

Explanation:	The indicated resource cannot be found within the resource definitions.
--------------	-------------------------------------------------------------------------

Res. <resource> - requ. NNNNNNNNNN.NN avail. NNNNNNNNNN.NN

Explanation:	The requested amount of a specified resource exceeds the available amount of it.
--------------	----------------------------------------------------------------------------------

Reference <in-condition-reference> Format Error NNNN

Explanation:	A format error for an input condition reference has been detected.
--------------	--------------------------------------------------------------------

Prq. File Check - Symbol missing

Explanation:	The symbol to be replaced in the file name cannot be found in the symbol table.
--------------	---------------------------------------------------------------------------------