

Contents

| | <u>Page</u> |
|--|-------------|
| Changes | ix |
| Section 1: Introduction | |
| Chapter 1: IBM's Workload Manager | 1-1 |
| Chapter 2: The WLM Component of CPExpert | 1-3 |
| Chapter 3: Data Sources | 1-5 |
| Chapter 4: Performance Data Bases | 1-6 |
| Section 2: Specifying Guidance Variables | |
| Chapter 1: Data Selection and Presentation Variables | 2-2 |
| Chapter 1.1: Specifying data selection guidance | 2-3 |
| Chapter 1.1.1: WLMDATES and WLMTIMES variables | 2-3 |
| Chapter 1.1.2: WLMDATEE and WLMTIMEE variables | 2-3 |
| Chapter 1.1.3: WLMDAT2S and WLMTIM2S variables | 2-3 |
| Chapter 1.1.4: WLMDAT2E and WLMTIM2E variables | 2-4 |
| Chapter 1.1.5: SHIFT variable | 2-4 |
| Chapter 1.1.6: N_PLEX variable | 2-5 |
| Chapter 1.1.7: SYSPLEX variable | 2-5 |
| Chapter 1.1.8: SYSTEM variable | 2-6 |
| Chapter 1.1.9: SYSTEMn variables | 2-7 |
| Chapter 1.1.10: SELECTSW, SELECTn, and PERIODn variables | 2-7 |
| Chapter 1.1.11: EXCLUDSW and EXCLUDEn variables | 2-10 |
| Chapter 1.2: Specifying data presentation guidance | 2-11 |
| Chapter 1.2.1: VERBOSE variable | 2-11 |
| Chapter 1.2.2: LISTRPT variable | 2-12 |
| Chapter 1.2.3: POLORDER variable | 2-12 |
| Chapter 1.2.4: WLMAST variable | 2-13 |
| Chapter 1.3: SAS Output Delivery System | 2-13 |
| Chapter 2: Analysis Guidance Variables | 2-14 |
| Chapter 2.1: AVGRESP variable | 2-15 |
| Chapter 2.2: CHKPLCY variable | 2-15 |
| Chapter 2.3: EXECSAMC variable | 2-16 |
| Chapter 2.4: HIGHCPU variable | 2-17 |

| | <u>Page</u> |
|--|-------------|
| Chapter 2.5: INACTIVE variable | 2-17 |
| Chapter 2.6: MAXDUR variable | 2-18 |
| Chapter 2.7: MAXRESP variable | 2-18 |
| Chapter 2.8: MAXVEL variable | 2-19 |
| Chapter 2.9: MINSAMP variable | 2-20 |
| Chapter 2.10: MINTRANS variable | 2-21 |
| Chapter 2.11: OKPAGEIN variable | 2-21 |
| Chapter 2.12: PCTSERVC variable | 2-22 |
| Chapter 2.13: PERFINDX variable | 2-23 |
| Chapter 2.14: PHASE variable | 2-24 |
| Chapter 2.15: POLCHG variable | 2-24 |
| Chapter 2.16: SWAPDW variable | 2-25 |
| Chapter 2.17: SWAPTO variable | 2-26 |
| Chapter 2.18: Turning OFF WLM Component Rules | 2-27 |
| Chapter 2.19: WLMSIG variable | 2-28 |
| Chapter 3: XCF Performance Analysis Guidance Variables | 2-29 |
| Chapter 3.1: COUPLE variable | 2-32 |
| Chapter 3.2: EXCLASSW and EXCLASSn variables | 2-32 |
| Chapter 3.2.1: EXCLASSW variable | 2-32 |
| Chapter 3.2.2: EXCLASSn variable(s) | 2-33 |
| Chapter 3.3: PCTSML variable | 2-33 |
| Chapter 3.4: PCTBIG variable | 2-35 |
| Chapter 3.5: PCTREJ variable | 2-35 |
| Chapter 3.6: LOCKCONT variable | 2-36 |
| Chapter 3.7: FALSECNT variable | 2-37 |
| Chapter 3.8: SYNCNSRV variable and LOCKSRV | 2-38 |
| Chapter 3.9: ASYNCNSRV variable | 2-39 |
| Chapter 3.10: SYNCCHG variable | 2-39 |
| Chapter 3.11: Specifying guidance for specific structures | 2-40 |
| Chapter 4: System Logger Analysis Guidance Variables | 2-42 |
| Chapter 4.1: SMFTYP88 variable | 2-45 |
| Chapter 4.2: LGDSFULL | 2-46 |
| Chapter 4.3: LGSHIFTS | 2-46 |
| Chapter 4.4: PCTINTST | 2-47 |
| Chapter 4.5: PCTLOCST | 2-48 |
| Chapter 4.6: STDSHIGH | 2-50 |
| Chapter 4.7: STFULL90 | 2-52 |
| Chapter 4.8: STRC2 | 2-53 |
| Chapter 4.9: STRC3 | 2-54 |
| Chapter 4.10: STRFULL | 2-55 |
| Chapter 4.11: Specifying guidance for specific log streams | 2-56 |

Section 3: Using the WLM Component

| | |
|---|-----|
| Chapter 1: Executing the WLMCPE Module | 3-1 |
| Step 1. Use TSO ISPF to change the "prefix" in the data set names | 3-1 |
| Step 2: Make any appropriate changes to the WLMGUIDE Module | 3-3 |
| Step 3: Review the output from the WLMCPE Module | 3-3 |
| Chapter 2: Checklist | 3-4 |

Section 4: Analyzing the Workload Manager

| | |
|--|------|
| Chapter 1: Workload Manager Concepts | 4-2 |
| Chapter 1.1: Service Definition | 4-2 |
| Chapter 1.2: Service Policies | 4-2 |
| Chapter 1.3: Workload Classification | 4-3 |
| Chapter 1.4: Service Classes | 4-7 |
| Chapter 1.4.1: Performance goals | 4-9 |
| Chapter 1.4.2: Performance goal importance | 4-11 |
| Chapter 1.4.3: Service class periods | 4-11 |
| Chapter 1.5: Report Classes | 4-12 |
| Chapter 1.6: Resource Groups | 4-14 |
| Chapter 1.7: Discretionary Goal Management | 4-17 |
| Chapter 1.8: Long-Term Storage Protection | 4-19 |
| Chapter 1.9 Long-Term CPU Protection | 4-21 |
| Chapter 1.10: Exemption from server management | 4-23 |
| Chapter 2: Subsystem Transactions | 4-25 |
| Chapter 2.1: Subsystem transaction service classes | 4-25 |
| Chapter 2.2: Subsystem interaction with Workload Manager | 4-27 |
| Chapter 3: Workload Manager Internal Logic | 4-36 |
| Chapter 3.1: Resource Use Information | 4-36 |
| Chapter 3.2: Domain Control Information | 4-37 |
| Chapter 3.3: Service Class Period Information | 4-37 |
| Chapter 3.4: Performance Index | 4-40 |
| Chapter 3.5: Policy Adjustment | 4-43 |
| Chapter 4: Workload Manager Performance Data | 4-49 |

| | <u>Page</u> |
|--|-------------|
| Chapter 5: RMF Data Analysis Considerations | 4-52 |
| Chapter 5.1: SRM Transactions | 4-52 |
| Chapter 5.2: RMF Transaction Information | 4-54 |
| Chapter 5.3: Operator Actions | 4-56 |
| Chapter 5.4: SRM Sampling of Subsystem State | 4-57 |
| Chapter 5.1: SRM Transactions | 4-51 |
| Chapter 5.2: RMF Transaction Information | 4-53 |
| Chapter 5.3: Operator Actions | 4-55 |
| Chapter 5.4: SRM Sampling of Subsystem State | 4-56 |

Appendix A: Description of Rules

Exhibits

| | <u>Page</u> |
|--|-------------|
| 2-1 Sample Display of prefix.CPEXPERT.USOURCE(WLMGUIDE) | 2-2 |
| 2-2 Sample Display of prefix.CPEXPERT.USOURCE(WLMGUIDE) | 2-11 |
| 2-3 Default values for XCF analysis in USOURCE(WLMGUIDE) | 2-27 |
| 3-1 Job Control Language to execute the WLMCPE Module | 3-2 |
| 4-1 Work Qualifiers available with each version of MVS | 4-5 |
| 4-2 Example Service Classes | 4-6 |
| 4-3 Relationship between Server and Served | 4-26 |
| 4-4 Transaction Initialization | 4-28 |
| 4-5 Subsystem Transaction States | 4-29 |
| 4-6 Wait State Categories | 4-30 |
| 4-7 Switched State Categories | 4-33 |
| 4-8 Execution Phase States | 4-34 |
| 4-9 End of Begin_to_end Phase | 4-35 |
| 4-10 Performance Index Effect | 4-42 |
| 4-11 Sample Ordering of Service Classes | 4-46 |
| 4-12 Response Time Distribution, SMF Type 72 Records | 4-50 |