

FOCUS 7.0

TM7917

December 15, 1994

Update to the DB2 Installation Guide

The DB2 Interface for FOCUS Release 7.0 may be installed using the DB2 Interface Installation Guide, Release 6.8 (DN1000937.0493). This technical memo applies to FOCUS Release 7.0.

Installation for DB2 Version 2 Release 3

The DB2 Interface in FOCUS Release 7.0 was designed to be compatible with DB2 Version 3 and higher by default. Because of this, there are several lines of code which enable Version 3 Distributed Relational Database Architecture (DRDA) commands. These lines will cause precompiler errors in DB2 Version 2 Release 3.

If you are installing the Interface for use with DB2 Version 2 Release 3 an additional step is required before proceeding with Step 2.1.3 (page 7 of the Installation Guide). This step applies to all FOCUS releases starting with Release 7.0.

Edit member DB2PARMS of 'prefix.FOCSQL.DATA'. Comment out the five lines identified with arrows in the sample below. Use a single asterisk in the first column to comment them out. The code shown below appears at the end of DB2PARMS:

```

      PUNCH '          DROP  RSTAT          '
      PUNCH '          LTORG                '
      PUNCH 'ARELSLOC DS      0H           '
      PUNCH '          USING *,RSTAT       '
* <=== PUNCH '          EXEC  SQL RELEASE :NODE '
      PUNCH '          BR      RRET        '
      PUNCH '          DROP  RSTAT        '
      PUNCH '          LTORG                '
      PUNCH 'ARELSCUR DS      0H           '
      PUNCH '          USING *,RSTAT       '
* <=== PUNCH '          EXEC  SQL RELEASE CURRENT '
      PUNCH '          BR      RRET        '
      PUNCH '          DROP  RSTAT        '
      PUNCH '          LTORG                '
      PUNCH 'ARELSSQL DS      0H           '
      PUNCH '          USING *,RSTAT       '
* <=== PUNCH '          EXEC  SQL RELEASE ALL SQL '
      PUNCH '          BR      RRET        '
      PUNCH '          DROP  RSTAT        '
      PUNCH '          LTORG                '
      PUNCH 'ARELSPRV DS      0H           '
  
```

Installation for DB2 Version 2 Release 3

```
      PUNCH '          USING *,RSTAT                                '
* <=== PUNCH '          EXEC  SQL RELEASE ALL PRIVATE              '
      PUNCH '          BR      RRET                                '
      PUNCH '          DROP  RSTAT                                '
      PUNCH '          LTORG                                       '
      PUNCH 'ASETCONN DS      0H                                    '
      PUNCH '          USING *,RSTAT                                '
* <=== PUNCH '          EXEC  SQL SET CONNECTION :NODE              '
      PUNCH '          BR      RRET                                '
      PUNCH '          DROP  RSTAT                                '
      PUNCH '          LTORG                                       '
      PUNCH 'ASETCUPU DS      0H                                    '
      PUNCH '          USING *,RSTAT                                '

```

Do not comment out any other code. You may now proceed with the remainder of the installation.