

Z-GET01T

This chapter covers the following topics:

- Description
 - Parameters
 - Return Codes
 - Subprograms
-

Description

Return information about a nickname for an address at an external node or for an internal Con-nect address. This subprogram also applies to an external node which uses the transport service.

This subprogram is generally used with Z-MOD01T to allow the modification of addressee information. The addressee information is then used by Z-MAILA for the distribution of mail.

Parameters

| Parameter | Format | In | Out | Remarks |
|-----------------|----------|----|-----|---|
| Return-code | N2 | O | X | Input -1: no ET. |
| Cabinet | A8 | R | X | The cabinet in which the nickname for which you want to get information is stored. If the nickname is not found in the specified cabinet, but found in cabinet SYSCNT, SYSCNT is returned. |
| Password | A8 | R | | The password of the above cabinet. |
| Nickname | A20 | R* | | The nickname for which you want to get information. Either Nickname or ISN; not both. |
| ISN | P8 | R* | X | The ISN of the nickname for which you want to get information. Input: either ISN or Nickname; not both. |
| Last-name | A32 | | X | The last name of a user at the transport service node. |
| First-name | A32 | | X | The first name of a user at the transport service node. |
| Description | A60/1:4 | | X | The description of the nickname. |
| Folder-name | A15 | | X | The folder in which the nickname is stored. |
| File-name | A15 | | X | The file within the above folder in which the nickname is stored. |
| Node-name | A8 | | X | The name of the transport service node which has been added by the administrator. |
| Node-service | A1 | | X | S=spool file, T=transport service. Blank, if the nickname applies to an internal Con-nect address. |
| Node-parameters | A250/1:7 | | X | The physical address of the transport service node. See <i>External Communication</i> . |
| Post-flag | A1 | | X | If marked, a window appears and you can enter additional information before the mail is sent. However, the window only appears when you use the online Con-nect. If you use Z-MAILA to send mail, the window does not appear. |

Return Codes

| | |
|----|--------------------------------------|
| 00 | Success |
| 02 | Invalid cabinet name |
| 03 | Password incorrect |
| 04 | ISN was not found |
| 08 | Supply either ISN or name, not both |
| 09 | ISN does not point to correct object |
| 24 | Security violation |
| 91 | Invalid addressee |
| 93 | The nickname does not exist |

Subprograms

Z-120

Z-122

Z-123

Z-147

Z-191

Z-1200&0