

Con-nect Documents

The Natural ISPF interface to Con-nect enables you to access Con-nect documents for which you are authorized. Con-nect documents can be listed from Con-nect cabinets and folders in Editor format. Information can be displayed for a document, and documents can be added, deleted and maintained using the Editor in the same way as any other Natural ISPF object.

Additionally, using the Natural ISPF multi-session and split-screen features, you can easily transfer data to and from Con-nect documents.

To enter the Con-nect document maintenance facility, select the Con-nect option from the Natural ISPF Main Menu. The Con-nect Documents Entry Panel appears:

```

----- CON-NECT DOCUMENTS - ENTRY PANEL -----
COMMAND ===>

Cabinet      ===>
Folder       ===>
File         ===>
Document     ===>
Password     ===>                ( If password protected )
Keyword      ===>
Sort sequence ===>                ( A/D )
Max documents ===>

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help Split End  Suspe Rfind Rchan Up      Down Swap Left Right :s

```

You can specify the Con-nect document you wish to maintain in the input fields and enter a function command in the command line. Meaning of the input fields:

Field	Meaning
Cabinet	Name of cabinet in which the document is or is to be filed.
Folder	Name of folder in which the document is or is to be filed. Note that Natural ISPF does not support listing of folders.
File	Name of file in which the document is or is to be filed. Note that Natural ISPF does not support listing of files.
Document	Name of document to be added or maintained. Leave blank or use a combination of strings and wildcards (* _ < >) to list documents in the specified folder/file. (See the subsection Selection Windows and Wildcards in Section Command Logic.)
Password	Password, if the cabinet is password-protected.
Keyword	One of the keywords assigned to the document when using the LIST function. If you enter a keyword, all documents with this keyword are listed. The Folder, File and Document fields are ignored. Keywords can be assigned to existing documents using the INFORMATION function.
Sort sequence	Relevant with LIST. Specifies whether to list documents in ascending (A) (default) or descending (D) alphabetical order.
Max documents	Relevant with LIST. Specifies the maximum number of documents to be listed.

Function Commands

The available function commands for Con-nect documents are as follows:

Command	Object Parameter Syntax
BROWSE	cabinet(document) PASSWORD=p
DELETE	cabinet(document) PASSWORD=p
EDIT	cabinet(document) FOLDER=fo FILE=fi PASSWORD=p
INFORMATION	cabinet(document) PASSWORD=p
LIST	cabinet(*_*) FOLDER=fo FILE=fi PASSWORD=p KEYWORD=k
PRINT	cabinet(document) PASSWORD=p

The object parameters correspond to the input fields on the Con-nect Documents Entry Panel. For a full description of these commands, see Section Command Reference.

Note:

If you issue any of the above commands from outside the Con-nect document facility, you must specify the object type DOC before the object parameters.

Notes:

1. The cabinet parameter is optional. Your personal cabinet is the default.
2. When issuing the PRINT command for a Con-nect document, a window prompts you for the printer name and you can specify whether the document is to be printed formatted or not.

Example: LIST

The following figure shows an example of a list of all documents in a Con-nect file using the command:

```
LIST DOC MBE(*) FOLDER=WORK FILE=ISPF
```

The command lists all documents from the ISPF file in the WORK folder in cabinet MBE:

```
LIST-DOC:MBE(*)/FOLDER=WORK ----- Row 0 of 2 - Columns 045 076
COMMAND===>                                     SCROLL===> CSR
Document                Int.Number           Created      File
** *****
Editor 134              0001485546    1989-11-24  ISPF
Textfile                0006907082    1993-05-06  ISPF
** *****
***** top of list *****
***** bottom of list *****

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help  Split End   Suspe Rfind Rchan Up    Down  Swap  Left  Right :s
```

Meaning of the column headings:

Field	Meaning
Document	Document name.
Int.Number	Internal number used by Natural ISPF to find the document.
Created	Document creation date in format YY-MM-DD.
File	Name of the Con-nect file in which the document is stored.

Example: INFORMATION

The following screen illustrates the information screen for a Con-nect document invoked using the command:

```
INFO DOC MBE(TEXTFILE)
```

The screen shows information on document TEXTFILE from cabinet MBE:

```

----- Information DOC:MBE(TEXTFILE) -----
Command ==>

Document ==> TEXTFILE
Folder   ==> Work_____ File   ISPF_____
Subject  ==> To test ISPF14_____

-----

Keywords ==> TEST_____ ISPF_____

Private  ==> _
Exp-date ==> 1994/05/06      Archive _

Attached ==> Enclos
Created  ==> 1993/05/06  11:12 By      MBE
Modified ==> 1993/05/06  14:48      MBE
Mailed   ==>
Forward  ==>
Reply    ==>

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help Split End  Suspe Rfind Rchan Up      Down Swap Left Right :s

```

The information presented in this screen is the same as documented in the **Con-nect User's Guide**. You can modify the highlighted fields in this screen, for example, rename the document, edit the description in the Subject field or assign new keywords.

Line Commands

Select a document from a list by entering a line command in the input field preceding the document name and pressing Enter.

Line Command	Corresponding Function Command
B	BROWSE
D	DELETE
E	EDIT
I	INFORMATION
PR	PRINT

When selecting a document with the PR line command, a window prompts you for the printer name and you can specify whether the document is to be printed formatted or not.

Line commands can also be used as valid abbreviations of function commands entered in the command line of any system screen.

Local Commands

In Edit Mode:

If you display a Con-nect document in Editor format in EDIT mode, you can issue the following local command from the Editor command line in addition to Editor commands:

Command	Meaning
IMPORT	Imports a PC file or another Con-nect document into the document (see Section Useful Features).

In List Mode:

If you display lists of Con-nect documents in Editor format, you can issue the local commands ALL, LAYOUT, RELIST and SORT in addition to Editor scroll commands. For detailed information, see the subsections in Section Useful Features.