

Read Environment Text Area Variables

Subroutine Name	Executable Example	Viewable Example
W3READ-ENVIRONMENT-TEXTAREA	E3ENVTX	E3ENVTX E3ENVTX1

Description

Reads a variable set by a text area tag and separates the text lines.

Parameters

1 W3START	(I4)	/* io/m : Offset to be started at
*		/* out: 0 no occurrences
*		/* out: >0 more occurrences
1 W3NAME	(A072)	/* i /m : Name of variable
1 W3VALUESERVER	(A1)	/* i /m : Search for variables in
*		/* 'S' server
*		/* 'P' page or URL
*		/* ' ' both
1 W3ARRAYCOUNTER	(A250/1:V)	/* io/m : Length of array,
1 W3ARRAYVALUE	(I4/1:V)	/* returned values
1 W3ARRAYVALUELENGTH	(I4)	/* o/m : Value of variables
1 W3ARRAYMAXIMUM		/* o/m : Length of variables
		/* o/m : Total number of variables

How To Invoke

```
PERFORM W3READ-ENVIRONMENT-TEXTAREA W3START W3NAME
      W3VALUESERVER W3ARRAYCOUNTER(*)
      W3ARRAYVALUE(*) W3ARRAYVALUELENGTH(*)
      W3ARRAYMAXIMUM
```