

SYSBPM - Appl. Programming Interfaces

This section describes the application programming interfaces USR0340N, USR0341N and USR4340N which are used for handling Natural programming objects currently loaded in the buffer pool (BP) and/or BP cache. The application programming interfaces (APIs) are supplied in the Natural system library SYSEXT.

For further information on the interfaces see:

- The relevant Natural text members and the example programs in the Natural system library SYSEXT, and
- The SYSBPM functions referenced in the table below.

Related topic:

SYSBPM Batch Processing

API	Functionality
USR0340N	<ul style="list-style-type: none"> • Deletes objects from the buffer pool and/or BP cache. • Marks objects as resident. • Removes the resident flag from objects. • Reads object directory information. • Retrieves general buffer pool statistics and buffer pool load/locate statistics. <p>Corresponding SYSBPM functions: Delete Objects List Objects Directory Information General Buffer Pool Statistics Buffer Pool Load/Locate Statistics.</p>
USR0341N	<p>Collects garbage to clean up the buffer pool by removing objects which are no longer needed.</p> <p>Selection criteria for specified objects are the relative age of an object. Relative age is the time the object has been loaded in the buffer pool which calculates from BP Last Activity date. Minimum age is 30 minutes.</p> <p>See also the SYSBPM function List Objects.</p>
USR4340N	<p>We recommend that you use this interface for batch processing instead of using the SYSBPM utility in batch.</p> <p>Lists objects loaded in the buffer pool and/or BP cache sorted by Object Size (ObjSize), Total Use Count (TotalUC) or BP Last Action. BP Last Action only applies to the buffer pool.</p> <p>Corresponding SYSBPM functions: Display Sorted Extract List Objects</p>