

SYSMAIN PF Keys

You can also use PF keys to perform SYSMAIN functions. PF keys which are not valid within certain menus, are not displayed for this menu. The PF keys are summarized in the table below.

PF Key	Name	Function
PF1	Help	Displays online help depending on current cursor position. If the cursor is positioned in the Object Code or Function Code field, SYSMAIN general help is displayed. If the cursor is in another field, field-specific help is displayed.
PF2	Menu	Displays the SYSMAIN Main Menu.
PF3	Exit	Returns to the previous screen. If you press PF3 on the SYSMAIN Main Menu, SYSMAIN is terminated.
PF4	Copy	Performs the COPY function for the object specified.
PF5	Del	Performs the DELETE function for the object specified.
PF6	Find	Performs the FIND function for the object specified. (Only with programming objects, error messages and rules.)
PF7	List	Performs the LIST function for the object specified.
PF8	Move	Performs the MOVE function for the object specified.
PF9	Ren	Performs the RENAME function for the object specified.
PF10	Fsec	Invokes the security screen for specifying the security information of the FSEC file to Natural Security.
PF11	Fdic	Invokes the security screen for specifying the dictionary information of the Natural FDIC file. (Only applicable for programming objects and for rules and DDMs.)
PF12	Fnat	Invokes the security screen for specifying the system file information of the Natural FNAT and/or FUSER files. (Only applicable for programming objects, debug environments, error message texts and profiles.)
CLEAR	Exit	Returns to the previous screen. If you press CLEAR on the SYSMAIN Main Menu, the SYSMAIN utility is terminated.