

# NATVERS - Switching between Natural Environments

This Natural profile parameter is for UNIX/OpenVMS and Windows platforms only.

It enables you to access various Natural environments. \*\*\* und dies?:\*\*\* that is, various err, txt, bin, etc, samples and tmp subdirectories. ?\*\*\* The NATVERS value you enter is used by Natural to determine the SAG.INI section you want to use with your Natural session. By default the Natural installation creates a section in the SAG.INI file that points to the installed Natural environment.

The Natural installation automatically identifies the Natural version and creates the section [NATURAL=5.1.1] in your SAG.INI file that points to the installed Natural environment. This might look as in the following example:

```
[NATURAL-5.1.1]
PROD_API=C:\Program Files\Software AG\5.1.1\Bin\natprd32.dll
NATGUI_BMP=C:\Program Files\Software AG\Natapps\Pic
NATDIR=C:\Program Files\Software AG
NATINI=C:\Program Files\Software AG\5.1.1\Etc
[NATURAL-5.1.1-END]
```

If you want to access environments other than the one that was installed automatically, create a new section for each environment as shown in the following example:

```
[NATURAL-Server5.1.1]
NATVERS=5.1.1
PROD_API=\\Server\Program Files\Software AG\5.1.1\Bin\natprd32.dll
NATGUI_BMP=\\Server\Program Files\Software AG\Natapps\Pic
NATDIR=\\Server\Program Files\Software AG
NATINI=\\Server\Program Files\Software AG\5.1.1\Etc
[NATURAL-Server5.1.1-END]
```

<b>Possible settings</b>	any character string	Determines the Natural version.
<b>Default setting</b>	5.1.1	<b>Note:</b> A DEFAULT-VERSION entry in SAG.INI is no longer necessary.
<b>Dynamic specification</b>	YES	This parameter can only be specified dynamically.
<b>Specification within session</b>	NO	

Replaced settings are still contained in the SAG.INI file and can be used by specifying them with NATVERS to switch to the corresponding Natural environments.