

Accelerators

Many Natural commands are mapped to corresponding accelerator keys. It is possible to change any of these assignments using the Customize Dialog.

The following table shows the default accelerator assignments inside Natural.

| Accelerator | Description | Applicable in |
|-----------------------|--|--|
| CTRL-N | Creates a new Program. | Active Environment. |
| CTRL-S | Saves an Object. | Active Editor. |
| CTRL-R | Runs an Object. | Active Editor. |
| CTRL-E | Checks an Object. | Active Editor. |
| CTRL-O | Opens a Natural Object or a List View. | Selected Node in library workspace or active List View. |
| CTRL-P | Prints an Object. | Active Editor, selected Node in library workspace or active List View. |
| CTRL-T | Toggles between the result view and the active MDI window. | Anywhere inside Natural |
| CTRL-F4 | Closes the active MDI Window (List View or Editor). | Active MDI Window. |
| CTRL-TAB | Makes next MDI Window active. | Anywhere inside Natural. |
| CTRL-SHIFT-TAB | Makes previous MDI Window active. | Anywhere inside Natural. |
| ALT-F4 | Exits Natural session. | Anywhere. |
| CTRL-Z | Performs an Undo. | Active Editor. |
| CTRL-Y | Performs a Redo. | Active Editor. |
| CTRL-A | Selects all. | Active Editor. |
| CTRL-F | Finds items. | Active Editor. |
| F3 | Repeats find items. | Active Editor. |
| CTRL-H | Replaces items. | Active Editor. |
| CTRL-G | Goto. | Active Program Editor. |
| F6 | Toggles between split window. | Active Program Editor. |
| CTRL-X | Cuts. | Windows Explorer, selected Node in library workspace or in active List View. |
| CTRL-C | Copies. | Windows Explorer, selected Node in library workspace or in active List View. |
| CTRL-V | Pastes. | Windows Explorer, selected Node in library workspace or in active List View. |
| DEL | Deletes. | Selected Node in library workspace or in active List View. |
| ENTER | Opens or executes Natural Object or Opens a List View. | Selected Node in library workspace or active List View. |

| Accelerator | Description | Applicable in |
|-----------------------|--|---|
| ALT-ENTER | Display properties of Natural Objects | Selected Node in library workspace or active List View. |
| CTRL-SHIFT-E | Opens Event handlers for selected control. | Active Dialog Editor. |
| CTRL-ALT-LEFT | Aligns selected controls left. | Active Dialog Editor |
| CTRL-ALT-RIGHT | Aligns selected controls right. | Active Dialog Editor |
| CTRL-ALT-UP | Aligns selected controls up. | Active Dialog Editor |
| CTRL-ALT-DOWN | Aligns selected controls down. | Active Dialog Editor |
| SHIFT-F9 | Horizontal center of selected controls. | Active Dialog Editor |
| F9 | Vertical center of selected controls. | Active Dialog Editor |
| CTRL-SHIFT-F9 | Aligns selected controls centered. | Active Dialog Editor |
| ALT-RIGHT | Horizontal spacing. | Active Dialog Editor |
| ALT-UP | Vertical spacing. | Active Dialog Editor |
| CTRL-ALT-C | Displays source code. | Active Dialog Editor |
| CTRL-ALT-M | Opens the menu dialog. | Active Dialog Editor |
| CTRL-ALT-T | Opens the toolbar dialog. | Active Dialog Editor |
| CTRL-ALT-I | Opens the timers dialog. | Active Dialog Editor |
| CTRL-ALT-E | Opens the dialog event handlers dialog. | Active Dialog Editor |
| CTRL-ALT-O | Opens the comment dialog. | Active Dialog Editor |
| CTRL-ALT-S | Opens the inline subroutine dialog. | Active Dialog Editor |
| CTRL-ALT-H | Opens the help organizer dialog. | Active Dialog Editor |
| CTRL-ALT-Q | Displays control sequence numbers. | Active Dialog Editor |
| CTRL-ALT-P | Opens the parameter data area dialog. | Active Dialog Editor |
| CTRL-ALT-G | Opens the global data area dialog. | Active Dialog Editor |
| CTRL-ALT-L | Opens the local data area dialog. | Active Dialog Editor |
| CTRL-ALT-X | Opens context menu dialog. | Active Dialog Editor |
| CTRL-SHIFT-R | Starts Recording. | Active Program Editor |
| CTRL-SHIFT-S | Stops Recording. | Active Program Editor |
| CTRL-SHIFT-P | Replays Recording. | Active Program Editor |
| CTRL-D | Toggles between the command line and the active MDI window. | Anywhere inside Natural |
| CTRL-W | Toggles between the library workspace and the active MDI window. | Anywhere inside Natural |
| CTRL-SHIFT-D | Deletes line. | Active Editor |
| CTRL-SHIFT-K | Delete to end of line. | Active Editor |
| CTRL-SHIFT-I | Jumps to next level. | Active Data area editor |
| CTRL-SHIFT-J | Jumps to previous level. | Active Data area editor |

| Accelerator | Description | Applicable in |
|--------------------|--|-------------------------|
| ALT-1 | Toggles view of library workspace. | Anywhere |
| ALT-2 | Toggles view of application workspace. | Anywhere inside Natural |
| ALT-3 | Toggles view of command line. | Anywhere inside Natural |
| ALT-4 | Toggles view of status bar. | Anywhere inside Natural |
| ALT-5 | Toggles view of result list. | Anywhere inside Natural |