

# Installing Software AG Products for OpenVMS

This section describes how to install Software AG products under OpenVMS from CD-ROM.

- General Installation and Setup Overview
  - Installation Package
  - Mounting the CD-ROM
  - CD-ROM Directory Structure
  - Installing the Product from CD-ROM
- 

## General Installation and Setup Overview

This section describes how to install Software AG products for OpenVMS (AXP).

The general procedure is:

1. Use Software AG's product Sagbase to prepare the OpenVMS environment for installation of Software AG's OpenVMS products. Sagbase creates an account and a top-level directory, in which all Software AG OpenVMS products are placed in subdirectories. For further information on Sagbase, please refer to the Sagbase documentation.
2. Use the command procedure SETUP.COM located on CD to install the product in the OpenVMS environment. SETUP.COM copies the Natural PCS file from the CD to the SAG\$ROOT:[CDINST] directory, changes the default location to this directory and starts the Polycenter Software Installation utility (PCSI).
3. The PCSI utility guides you through the installation and verifies whether the installation was successful.
4. After completion of the PCSI installation procedure, some product-specific post-installation steps must be performed as described in each product's installation documentation.

## Installation Package

The installation package containing Software AG products is available on CD-ROM.

## Mounting the CD-ROM

### Log in to the privileged account

Log in to the OpenVMS system manager's account or DBA account.

### Mount the CD-ROM


Use the following command:

```
$ MOUNT/OVERRIDE=ID/MEDIA=CD/UNDEF=VAR:CR <device-name>
```

The /OVERRIDE=ID qualifier is necessary because the volume label may differ from CD-ROM to CD-ROM. This qualifier implies that only the user who mounted the CD-ROM can access it and, therefore, should perform the installation.

## CD-ROM Directory Structure

The following graphic shows the general directory structure for Software AG products on OpenVMS.



In the README.TXT file you will find important information about the product installation.

The product is saved in the product PCSI file `<product>vrsp.PCS` for example PRD4210.PCS for a Predict installation.

The SETUP.COM procedure invokes the installation.

## Installing the Software AG Product from CD-ROM

Use the SETUP.COM procedure to copy the product file to the SAG root directory and to start the PCSI installation procedure.

### Change your current directory

```
$ SET DEFAULT <CD-ROM-device-name>:[000000]
```

### Enter the following command to start the SETUP.COM extraction procedure

```
$ @SETUP
```

The SETUP.COM procedure will prompt you for all information it needs for the installation.

The product `<product>vrsp` from the CD-ROM will be copied to `SAG$ROOT:[ CDINST.<os>_<product>_V<vrmp> ]`.

## Copy the product PCSI file

Enter

Y - to copy the product PCSI file to SAG\$ROOT:[CDINST.<os>\_<product>\_V<vrmp>]

N - to copy the product PCSI file to another directory

RETURN - to exit this procedure

Enter Y or N:

Enter "Y" to copy the product to SAG\$ROOT:[CDINST.<os>\_<product>\_V<vrmp>] directory or "N" to copy it to another location.

## Print the README.TXT file

Print README.TXT(queue SYS\$PRINT)? [Y]:

Enter "Y" if you want to print the README.TXT file from the CD.

## Setup completed

The SETUP.COM command procedure displays the following message, if the product PCSI file was successfully copied to the directory SAG\$ROOT:[CDINST.<os>\_<product>\_V<vrmp>].

```
SETUP successfully done
```

## Invoke the PCSI installation procedure or interrupt the process

You have the choice to proceed with the PCSI installation or to interrupt the installation.

The installation procedure displays the location where you copied the PCSI file.

You may execute the PCSI installation utility now or later.

Enter

I - to install the product on SAG\$ROOT

RETURN - to exit this procedure

Enter "I" to install the product with the PCSI utility. This procedure is described in detail in the product-specific installation documentation.

If you press "RETURN", you will leave the SETUP.COM procedure.

You can continue the installation, if you start the SETUP.COM procedure once more.