

STATUS

This subsection offer the following topics:

- STATUS Command Functionality
- NODES Option
- Column Headings: Status of Entire System Server Nodes
- Special PF Keys: Status of Entire System Server Nodes

STATUS Command Functionality

The STATUS command allows you to perform certain system functions. When you have issued the command, the Entire Operations Monitor handling window opens. You can now enter the appropriate instruction.

The command format is:

```

STATUS { MONITOR
        NODES
        ACTIVE }
    
```

where:

Parameter	Description
<u>M</u> ONITOR	Displays the Entire Operations Monitor handling window. You can start and stop the Monitor from this window (see the System Administrator Services).
<	Note: Even if under the user's profile settings for Administrator Functions, Monitor Start/Shutdown is set to N, this command allows a check of Monitor status.
<u>N</u> ODES	Displays the status of all defined Entire System Server nodes).
<u>A</u> CTIVE	Opens the window for handling Entire Operations activity monitoring (see the section System Administrator Services / Special Functions of the Entire Operations Administration Documentation).

NODES Option

If you specify the NODES option in the STATUS command, the status of all defined Entire System Server nodes is displayed in a window like this:

```

20.11.01          *** Entire Operations 4.1.1 ***          10:29:49
Owner SN                Main Menu                User ID GHH
-----
+-----+
!                                     !
!           Status of ENTIRE SYSTEM SERVER Nodes at 10:30           !
1  !                                     !
2  ! Node Name      OpSys      TD   ESY A L LogonUID Status   Checked ! )
3  !   31 BS2000    BS2000                                not chkd  !
4  !   33 DOS-VSE   DOS/ESA                                not chkd  !
5  !   38 BS2 131  BS2000                                not chkd  !
6  !   53 NOP122   MVS/XA                                not chkd  !
7  !   69 E-M/C    MSP/EX                                not chkd  !
8  !   81 VSE PJ   DOS/ESA                                not chkd  !
9  !  146 XCNOPI40 MVS/ESA          134 X X      active    10:29  !
10 !  148 F-MC     MVS/ESA                                not chkd  !
    !  193 DUEVSE  DOS/370                                not chkd  !
    !                                     !
    !                                     !
Comma ! ----- !
Enter- ! PF3 End      PF5 Force Check                                ! ---
+-----+
    
```

Column Headings: Status of Entire System Server Nodes

Meaning of the column headings:

Column	Description
Node	Node number.
Name	Logical node name.
OpSys	Operating system on node.
TD	Time difference, in hours, to Monitor.
ESY	Entire System Server version.
A	If marked: AUTOLOG=YES is active on node.
L	If marked: logon was made to the node.
Status	Status of last Entire System Server call.
Checked	Time of last status check.

Special PF Keys: Status of Entire System Server Nodes

Key	Name	Function
PF5	Force Check	Refresh status display, if last check was made some time ago.