

Natural Scratch-Pad File

This section provides information on purpose, use and maintenance of a Natural Scratch-Pad File.

The following topics are covered:

- Purpose of a Natural Scratch-Pad File
 - How to Define a Scratch-Pad File
 - What is Stored on the Scratch-Pad File and How to Size it
 - Scratch-Pad File Maintenance
-

Purpose of a Natural Scratch-Pad File

What is it, what does it do?

The scratch-pad file is just another Natural system file like FNAT and FUSER, and has the same physical file layout. It enables the storage of, for example, saved screen images and other types, data which are not stored explicitly like Natural sources, objects (SAVE, CATALOG, STOW) and error messages, on a file other than the FNAT/FUSER system files.

When do I need it?

In contrast to FNAT and FUSER, a scratch-pad file is **not mandatory** in a Natural session.

However, if you are working with read-only access to system files (profile parameter ROSY=ON), you **must** define a scratch-pad file, because otherwise the above mentioned data could not be stored and a corresponding error message (NAT0106) would be issued instead. The scratch-pad file is excluded from read-only access.

How to Define a Scratch-Pad File

Like all other system files of Software AG products, the scratch-pad file is a logical file. The logical file number of the scratch-pad file is 212.

Since there is no mnemonic for the scratch-pad file like FNAT, FUSER or FDIC, it has to be defined

- either statically by using the NTFILE macro in NATPARM or
- dynamically by using the LFILE profile parameter.

Examples of NTFILE and LFILE definition:

LFILE Parameter:

```
LFILE=(212,physical-dbid,physical-fnr,password,cipher-key)
```

NTFILE Macro:

```
NTFILE ID=212,DBID=physical-dbid,FNR=physical-fnr,PASSW=password,  
CIPH=cipher-key
```

What is Stored on the Scratch-Pad File and How to Size it

The objects that are stored on the scratch-pad file are:

- Recordings
- Traced Screens (NATPAGE)

As the amount of usage of the recording and NATPAGE facilities cannot be calculated beforehand, a reasonable estimate about the related storage requirements is hardly possible. However, the scratch-pad file size required at your site can be estimated with a better understanding of the types of records that are stored on it.

Recordings

The recording facility is activated using terminal commands as described in the Natural Reference documentation. Recordings are stored like Natural source programs (or other object types). The size of a recording depends on how many screen inputs have been done during a recording session. Recordings are like programs related to a library.

Currently, it is not possible to list recordings on the scratch-pad file by using the Natural LIST system command. SYSMAIN can be used, though, to list and maintain the recordings stored on the scratch-pad file. To store the recordings on the FNAT/FUSER file instead of on the scratch-pad file, set the RFILE profile parameter.

Recordings which are being stored on the FNAT/FUSER file are affected (interrupted) by transaction backouts (BTs) which are issued in the user's application programs. This is a very common problem encountered by users of the recording facility and it can be avoided by using the scratch-pad file.

Traced Screens - NATPAGE

The screen paging utility NATPAGE can be used to store screen images (in chronological sequence of their appearance) on the scratch-pad file. NATPAGE can be activated with the terminal command %P. From the moment %P is issued, all screens presented to the end user are stored onto the scratch-pad file (if it has been defined for your session) until the terminal command %O is entered. The traced screens can be displayed using the terminal command %E.

For each screen image, the current content of the page buffer and the page attribute buffer is stored. This means that the amount of data being stored depends on the PS/LS settings for the session and, of course, on the number of screen images. The number of possible screens per user session depends on the PD parameter (default is 50; valid values are 0-255).

The size of the page buffer can be calculated as:

PS * LS

The size of the page attribute buffer is determined dynamically.

Scratch-Pad File Maintenance

The scratch-pad file does not need any maintenance, provided it is of sufficient size.

- Recordings on the scratch-pad file can be deleted, copied, moved and listed by using SYSMAIN.
- Traced screens can be deleted by using the %E terminal command.
- SETUP records and saved screen images, however, cannot be maintained in Natural at all.

Space on the scratch-pad file can be reclaimed by refreshing it using Adabas utilities in times of non-activity without affecting subsequent Natural sessions using the scratch-pad file.

