

# FCDP - Filler Character for Dynamically Protected Fields

Parameter	Possible Values	Default Value	Applicable Statements
FCDP	ON / OFF	ON	SET GLOBALS

With this session parameter, you can suppress the display of filler characters for input fields that have been made write-protected dynamically (that is, to which the attribute AD=P has been assigned via a control variable).

Depending on the setting of this parameter, dynamically protected input fields are displayed filled either with blanks or with the defined filler characters:

<b>FCDP=ON</b>	Dynamically protected input fields are displayed filled with filler characters. This may suggest to the users that they could enter something in the fields.
<b>FCDP=OFF</b>	Dynamically protected input fields are displayed filled with blanks.

## Example:

```

DEFINE DATA LOCAL
  1 #FIELD1 (A5)
  1 #FIELD2 (A5)
  1 #CVAR1 (C) INIT <(AD=P)>
  1 #CVAR2 (C)
END-DEFINE
*
INPUT #FIELD1 (AD=Y'_' CV=#CVAR1) /* field is protected
      #FIELD2 (AD=Y'_' CV=#CVAR2) /* field is not protected
...
END

```

**Display with FCDP=ON:** #FIELD1 \_\_\_\_\_ #FIELD2 \_\_\_\_\_

**Display with FCDP=OFF:** #FIELD1 #FIELD2 \_\_\_\_\_