

EDITOR - Other Program Editor

This Natural profile parameter is for UNIX/OpenVMS only.

It is modified to invoke a program editor other than the standard editor provided by Software AG.

| | | |
|-------------------------------------|----------------------|--|
| Possible settings | any character string | Name of the editor you want to use. Specification, see below. Note: You can still use the former Natural program editor (as used with Natural versions prior to Version 2.2) by specifying NATCEDIT. |
| Default setting | NATEDIT | Standard editor provided by Software AG. |
| Dynamic specification | NO | |
| Specification within session | NO | |

To use an external editor specify the path and editor name:

path-name editor-name command-to-specify-line %l command-to-specify-file %f

The string before **%l** is replaced by the ASCII representation of the line number. The string before **%f** is replaced by the file name as known by Natural.

Examples for OpenVMS:

```
$ EDIT/TPU %f
$ EDIT/TPU/COM = mydir :NATKEY.TPU %f
$ EDIT/TPU /START_POSITION = %l %f
```

A sample TPU file named NATKEY.TPU is located in the Natural profile directory (PROFILE_PATH).

Example for UNIX:

```
vi +%l %f
```

To use "vi" as a program editor, edit your parameter files as specified. If the existing parameter files are not updated, the specified editor (that is, "vi") cannot find the error line.