

---

---

# Unicenter

## TCPaccess Telnet Server Release Summary

Version 6.0



**Computer Associates**  
The Software That Manages eBusiness



This documentation and related computer software program (hereinafter referred to as the "Documentation") is for the end user's informational purposes only and is subject to change or withdrawal by Computer Associates International, Inc. ("CA") at any time.

This documentation may not be copied, transferred, reproduced, disclosed or duplicated, in whole or in part, without the prior written consent of CA. This documentation is proprietary information of CA and protected by the copyright laws of the United States and international treaties.

Notwithstanding the foregoing, licensed users may print a reasonable number of copies of this documentation for their own internal use, provided that all CA copyright notices and legends are affixed to each reproduced copy. Only authorized employees, consultants, or agents of the user who are bound by the confidentiality provisions of the license for the software are permitted to have access to such copies.

This right to print copies is limited to the period during which the license for the product remains in full force and effect. Should the license terminate for any reason, it shall be the user's responsibility to return to CA the reproduced copies or to certify to CA that same have been destroyed.

To the extent permitted by applicable law, CA provides this documentation "as is" without warranty of any kind, including without limitation, any implied warranties of merchantability, fitness for a particular purpose or noninfringement. In no event will CA be liable to the end user or any third party for any loss or damage, direct or indirect, from the use of this documentation, including without limitation, lost profits, business interruption, goodwill, or lost data, even if CA is expressly advised of such loss or damage.

The use of any product referenced in this documentation and this documentation is governed by the end user's applicable license agreement.

The manufacturer of this documentation is Computer Associates International, Inc.

Provided with "Restricted Rights" as set forth in 48 C.F.R. Section 12.212, 48 C.F.R. Sections 52.227-19(c)(1) and (2) or DFARS Section 252.227-7013(c)(1)(ii) or applicable successor provisions.

© 2002 Computer Associates International, Inc. (CA)

All trademarks, trade names, service marks, and logos referenced herein belong to their respective companies.



# Unicenter TCPaccess Telnet Server Features

---

The following is a list of Unicenter TCPaccess Telnet Server features:

- [TN3270E SSL Capable TELNET Server](#)
- [LMP Integration](#)
- [TelnetRTM](#)
- [Bind Security](#)
- [Dynamic VIPA](#)
- [Connection Management](#)

## TN3270E SSL Capable TELNET Server

The TN3270E SSL Capable Telnet Server is a new telnet server, which provides full support for the TN3270E protocol, as defined by RFC2355 and extensions, including support for 3287 printers. The TN3270E server also supports "old-style" TN3270 connections for clients which do not support TN3270E, and can be configured to negotiate TN3270 by default.

## Features of the TN3270E SSL Capable Server

Supports the full TN3270E protocol (as defined in RFC2355 and its extensions), including TN3270E printer support.

Response-time metrics are captured to a data space. The NETSTAT command, TELNET, can be used to query the response-time data on a session level.

SMF record subtype 23 records information, including response time figures.

A user exit point, VTAMBIND, is provided with the TN3270E server, to allow a user exit program to examine the BIND image from a PLU and (optionally) reject a session.

Supports SSL connections to specified port(s).

Runs in a Unix Systems Services (USS, formerly OpenEdition) CINET environment with the ability to specify a single provider.

## Configuring the TN3270E SSL Capable Server

To use the TN3270E server, change the MODULE parameter of the SERVICE statement for the server telnet port to specify T04STSSL. See the *Customization Guide* for details.

## LMP Integration

Integration with Unicenter TNG Framework for OS/390 and the CA License Management Program (LMP), providing a standardized and automated approach to the tracking of licensed software.

## TelnetRTM

TelnetRTM provides a central repository for telnet response time measurement (RTM) data. The telnet servers accumulate the RTM data and store it in the TelnetRTM repository. The RTM data in this repository is then queried and reported on by both NetSpy and the Unicenter TCPAccess NETSTAT TELNET command processor.

## Bind Security

Bind security allows an installation to restrict access to local ports, assign certain attributes to local ports, and to prevent unauthorized applications from binding to a network interface. This facility also allows an installation to dynamically bind a network interface to an application when the application calls the BIND() socket API function and to register an application with the MVS Workload Manager when the application binds to a port.

## Dynamic VIPA

Application dynamic VIPA allows an application to activate and inactivate virtual IP addresses (VIPA) using the BIND() and IOCTL() socket API functions. This associates the VIPA with an application and can be effectively used with Unicenter TCPaccess Fault Tolerant when Unicenter TCPaccess is running with a single interface, running multiplexed, or running in a multihomed environment.

## Connection Management

Improved connection management allows a single instance of Unicenter TCPaccess to support many more concurrent connections (telnet, FTP, etc.).







Computer Associates™